



[Go to Product page](#)

Datasheet for ABIN657560

anti-G Antigen 12H antibody (N-Term)

2 Images

Overview

Quantity:	400 µL
Target:	G Antigen 12H (GAGE12H)
Binding Specificity:	AA 21-49, N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This G Antigen 12H antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	This GAGE12H antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 21-49 amino acids from the N-terminal region of human GAGE12H.
Clone:	RB33217
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

Target Details

Target:	G Antigen 12H (GAGE12H)
Alternative Name:	GAGE12H (GAGE12H Products)
Background:	The function of this protein remains unknown.

Target Details

Molecular Weight:	12924
Gene ID:	729442
NCBI Accession:	NP_001091880
UniProt:	A6NDE8


Application Details

Application Notes:	WB: 1:1000. IHC-P: 1:10~50
Restrictions:	For Research Use only

Handling


Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	GAGE12H Antibody (N-term) can be refrigerated at 2-8 °C for up to 6 months. For long term storage, place the at -20 °C.
Expiry Date:	6 months

Images



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. GAGE12H Antibody (N-term) (ABIN657560 and ABIN2846567) immunohistochemistry analysis in formalin fixed and paraffin embedded human testis tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of GAGE12H Antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.



Western Blotting

Image 2. GAGE12H Antibody (N-term) (ABIN657560 and ABIN2846567) western blot analysis in ZR-75-1 cell line lysates (35 µg/lane). This demonstrates the GAGE12H antibody detected the GAGE12H protein (arrow).