# antibodies - online.com







# anti-TRIM33 antibody (C-Term)



Image



$\sim$			
	N/6	1//r	$I \cap V$

Overview		
Quantity:	400 μL	
Target:	TRIM33	
Binding Specificity:	AA 820-849, C-Term	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This TRIM33 antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
Immunogen:	This TRIM33 antibody is generated from rabbits immunized with a KLH conjugated synthetic	
	peptide between 820-849 amino acids from the C-terminal region of human TRIM33.	
Clone:	RB33247	
Isotype:	Ig Fraction	
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.	
Target Details		
Target:	TRIM33	
Alternative Name:	TRIM33 (TRIM33 Products)	
Background:	The protein encoded by this gene is thought to be a transcriptional corepressor. However,	

#### **Target Details**

molecules that interact with this protein have not yet been identified. The protein is a member of the tripartite motif family. This motif includes three zinc-binding domains, a RING, a B-box type 1 and a B-box type 2, and a coiled-coil region. Three alternatively spliced transcript variants for this gene have been described, however, the full-length nature of one variant has not been determined.

Molecular Weight: 122533

Gene ID: 51592

NCBI Accession: NP\_056990, NP\_148980

UniProt: Q9UPN9

## **Application Details**

Application Notes: WB: 1:1000

Restrictions: For Research Use only

#### Handling

Format:

Liquid

Buffer:

Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.

Preservative:

Sodium azide

Precaution of Use:

This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage:


4 °C,-20 °C

Storage Comment:

TRIM33 Antibody (C-term) can be refrigerated at 2-8 °C for up to 6 months. For long term

storage, place the at -20 °C.

Expiry Date: 6 months



### **Western Blotting**

**Image 1.** TRIM33 Antibody (C-term) (ABIN657566 and ABIN2846573) western blot analysis in NCI- cell line lysates (35  $\mu$ g/lane).This demonstrates the TRIM33 antibody detected the TRIM33 protein (arrow).