



[Go to Product page](#)

Datasheet for ABIN657597

anti-TTC13 antibody (N-Term)

2 Images

Overview

Quantity:	400 µL
Target:	TTC13
Binding Specificity:	AA 195-224, N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TTC13 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	This TTC13 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 195-224 amino acids from the N-terminal region of human TTC13.
Clone:	RB33472
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

Target Details

Target:	TTC13
Alternative Name:	TTC13 (TTC13 Products)
Background:	The function of this protein remains unknown.

Target Details

Molecular Weight:	96813
Gene ID:	79573
NCBI Accession:	NP_001116307 , NP_078801
UniProt:	Q8NBPO


Application Details

Application Notes:	WB: 1:1000. IHC-P: 1:10~50
Restrictions:	For Research Use only

Handling


Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	TTC13 Antibody (N-term) can be refrigerated at 2-8 °C for up to 6 months. For long term storage, place the at -20 °C.
Expiry Date:	6 months

Images



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. TTC13 Antibody (N-term) (ABIN657597 and ABIN2846596) immunohistochemistry analysis in formalin fixed and paraffin embedded human cerebellum tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of TTC13 Antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.



Western Blotting

Image 2. TTC13 Antibody (N-term) (ABIN657597 and ABIN2846596) western blot analysis in cell line lysates (35 μ g/lane). This demonstrates the TTC13 antibody detected the TTC13 protein (arrow).