

Datasheet for ABIN657625  
**anti-TNFRSF10A antibody (C-Term)**[Go to Product page](#)

## 1 Image

## Overview

Quantity:	400 µL
Target:	TNFRSF10A
Binding Specificity:	AA 418-446, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TNFRSF10A antibody is un-conjugated
Application:	Western Blotting (WB)

## Product Details

Immunogen:	This TNFRSF10A antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 418-446 amino acids from the C-terminal region of human TNFRSF10A.
Clone:	RB33634
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

## Target Details

Target:	TNFRSF10A
Alternative Name:	TNFRSF10A ( <a href="#">TNFRSF10A Products</a> )

## Target Details


Background:	The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptor is activated by tumor necrosis factor-related apoptosis inducing ligand (TNFSF10/TRAIL), and thus transduces cell death signal and induces cell apoptosis. Studies with FADD-deficient mice suggested that FADD, a death domain containing adaptor protein, is required for the apoptosis mediated by this protein.
Molecular Weight:	50089
Gene ID:	8797
NCBI Accession:	<a href="#">NP_003835</a>
UniProt:	<a href="#">O00220</a>
Pathways:	<a href="#">Apoptosis</a> , <a href="#">Positive Regulation of Endopeptidase Activity</a>

## Application Details

Application Notes:	WB: 1:1000
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	TNFRSF10A Antibody (C-term) can be refrigerated at 2-8 °C for up to 6 months. For long term storage, place the at -20 °C.
Expiry Date:	6 months



Western Blotting

**Image 1.** TNFRSF10A Antibody (C-term) (ABIN657625 and ABIN2846621) western blot analysis in NCI- cell line lysates (35 µg/lane). This demonstrates the TNFRSF10A antibody detected the TNFRSF10A protein (arrow).