.-online.com antibodies

Datasheet for ABIN657751 anti-ABHD3 antibody (C-Term)

Image



Overview

Quantity:	400 µL
Target:	ABHD3
Binding Specificity:	AA 282-310, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Application:	Western Blotting (WB)
Product Details	
Immunogen:	This ABHD3 antibody is generated from rabbits immunized with a KLH conjugated synthetic
	peptide between 282-310 amino acids from the C-terminal region of human ABHD3.
Clone:	RB33337
lsotype:	lg Fraction
Predicted Reactivity:	В
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

Target Details

Target:	ABHD3
Alternative Name:	ABHD3 (ABHD3 Products)
Background:	This gene encodes a protein containing an alpha/beta hydrolase fold, which is a catalytic


Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN657751 | 09/12/2023 | Copyright antibodies-online. All rights reserved.

Target Details

	domain found in a very wide range of enzymes. The function of this protein has not been determined.
Molecular Weight:	46009
Gene ID:	171586
NCBI Accession:	NP_612213
UniProt:	Q8WU67

Application Details

Application Notes:	WB: 1:1000
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	ABHD3 Antibody (C-term) can be refrigerated at 2-8 °C for up to 6 months. For long term storage, place the at -20 °C.
Expiry Date:	6 months



Western Blotting

Image 1. Western blot analysis of lysate from SH-SY5Y cell line, using ABHD3 Antibody (C-term) (ABIN657751 and ABIN2846734). (ABIN657751 and ABIN2846734) was diluted at 1:1000 at each lane. A goat anti-rabbit IgG H&L(HRP) at 1:5000 dilution was used as the secondary antibody. Lysate at 35 µg per lane.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN657751 | 09/12/2023 | Copyright antibodies-online. All rights reserved.