antibodies - online.com







anti-NOC3L antibody (N-Term)



Image



\sim	
()\/△	rview
\circ	

Quantity:	400 μL
Target:	NOC3L
Binding Specificity:	AA 49-78, N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Application:	Western Blotting (WB)
Product Details	
Immunogen:	This NOC3L antibody is generated from rabbits immunized with a KLH conjugated synthetic
	peptide between 49-78 amino acids from the N-terminal region of human NOC3L.
Clone:	RB32947
Isotype:	lg Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.
Target Details	
Target:	NOC3L
Alternative Name:	NOC3L (NOC3L Products)
Background:	NOC3L may be required for adipogenesis (By similarity).
Molecular Weight:	92548

Target Details

Gene ID:	64318
NCBI Accession:	NP_071896
UniProt:	Q8WTT2


Application Details

Application Notes:	WB: 1:1000
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	NOC3L Antibody (N-term) can be refrigerated at 2-8 °C for up to 6 months. For long term storage, place the at -20 °C.
Expiry Date:	6 months

Images



Western Blotting

Image 1. Western blot analysis of lysate from SK-N-MC cell line, using NOC3L Antibody (N-term) (ABIN657897 and ABIN2846849). (ABIN657897 and ABIN2846849) was diluted at 1:1000 at each lane. A goat anti-rabbit lgG H&L(HRP) at 1:5000 dilution was used as the secondary antibody. Lysate at 35 μ g per lane.