

Datasheet for ABIN658017
anti-SNX24 antibody (AA 86-113)

2 Images

[Go to Product page](#)

Overview

Quantity:	400 µL
Target:	SNX24
Binding Specificity:	AA 86-113
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	This SNX24 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 86-113 amino acids from the Central region of human SNX24.
Clone:	RB19865
Isotype:	Ig Fraction
Predicted Reactivity:	M, Rat
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

Target Details

Target:	SNX24
Alternative Name:	SNX24 (SNX24 Products)
Background:	SNX24 may be involved in several stages of intracellular trafficking (By similarity).

Target Details

Molecular Weight:	19818
Gene ID:	28966
NCBI Accession:	NP_054754
UniProt:	Q9Y343


Application Details

Application Notes:	WB: 1:1000. IHC-P: 1:10~50
Restrictions:	For Research Use only

Handling


Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	SNX24 Antibody (Center) can be refrigerated at 2-8 °C for up to 6 months. For long term storage, place the at -20 °C.
Expiry Date:	6 months

Images



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. SNX24 Antibody (Center) (ABIN658017 and ABIN2846955) immunohistochemistry analysis in formalin fixed and paraffin embedded human stomach tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of SNX24 Antibody (Center) for immunohistochemistry. Clinical relevance has not been evaluated.



Western Blotting

Image 2. SNX24 Antibody (Center) (ABIN658017 and ABIN2846955) western blot analysis in MDA-M cell line lysates (35 µg/lane). This demonstrates the SNX24 antibody detected the SNX24 protein (arrow).