



[Go to Product page](#)

Datasheet for ABIN6656181 **anti-GFAP R416WT antibody (AA 411-422) (PE)**

Overview

Quantity:	100 µg
Target:	GFAP R416WT
Binding Specificity:	AA 411-422
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This GFAP R416WT antibody is conjugated to PE
Application:	Immunohistochemistry (IHC), Western Blotting (WB), ELISA

Product Details

Immunogen:	Immunogen: Anti-GFAP R416WT Antibody was produced in mice by repeated immunizations with a synthetic peptide corresponding to amino acids 411-422 (KTVEMRDGEVIK) of human GFAP. Immunogen Type: Peptide
Clone:	S206B-9
Isotype:	IgG1
Cross-Reactivity:	Human, Mouse (Murine), Rat (Rattus)
Purification:	Anti-GFAP R416WT Antibody was purified from concentrated tissue culture supernate by Protein G chromatography. A BLAST analysis was used to suggest cross-reactivity with rat and mouse based on 100% homology with the immunizing sequence. No cross-reactivity with other GFAP mutant proteins can be expected.

Target Details

Target:	GFAP R416WT
Abstract:	GFAP R416WT Products
Background:	<p>Synonyms: Glial fibrillary acidic protein, Intermediate filament protein, Astrocyte, gfap1, DKFZp459C0729, MGC139638, FLJ45472, AI836096, GFAP antibody</p> <p>Background: The 50 kDa type III intermediate filament protein glial fibrillary acidic protein (GFAP) is a major structural component of astrocytes. GFAP associates with the calcium binding protein annexin II-p2 and S-100. Association with these proteins together with phosphorylation regulates GFAP polymerization. Astrocytes respond to brain injury by proliferatin (astrogliosis), and one of the first events to occur during astrocyte proiliferation is increased GFAP expression. Interestingly, antibodies to GFAP have been detected in individuals with dementia. Anti-GFAP is ideal for investigators involved in Neuroscience Research, including Alexander Disease, Oligodendroglioma, Cytoskeleton Remolding Neurofilaments and PIP3/AKT Signaling.</p> <p>Gene Name: GFAP</p>
Gene ID:	2670
UniProt:	P14136

Application Details

Application Notes:	<p>Immunohistochemistry Dilution: User Optimized</p> <p>Application Note: Anti-GFAP R416WT R-PE Conjugated Antibody is suitable for use in Western blot, Immunohistochemistry and Immunocytochemistry. Expect a band approximately ~50 kDa on specific lysates or tissues. Specific conditions for reactivity should be optimized by the end user.</p> <p>ELISA Dilution: 1:10,000</p> <p>Western Blot Dilution: 1:1000</p>
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	<p>Buffer: 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2</p> <p>Stabilizer: 50 % (v/v) Glycerol</p> <p>0.1 % (w/v) Sodium Azide</p>

Handling

Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Storage Comment:	Store vial at 4° C prior to opening. Dilute only prior to immediate use. This product is stable at 4° C as an undiluted liquid. Use subdued lighting during handling and incubation of cells prior to analysis. Store reagent in the dark. DO NOT FREEZE.