

Datasheet for ABIN6657789 anti-L-Selectin antibody (APC)

Image



Overview	
Quantity:	100 μg
Target:	L-Selectin (SELL)
Reactivity:	Mouse
Host:	Rat
Clonality:	Monoclonal
Conjugate:	This L-Selectin antibody is conjugated to APC
Application:	Flow Cytometry (FACS), Immunohistochemistry (IHC), Immunoprecipitation (IP)
Product Details	
Purpose:	CD62L Allophycocyanin Antibody
Immunogen:	Anti-CD62L Antibody (Monoclonal) was produced by repeated immunizations with CD62L

Purpose:	CD62L Allophycocyanin Antibody
lmmunogen:	Anti-CD62L Antibody (Monoclonal) was produced by repeated immunizations with CD62L antigen.
Clone:	MEL-14
Isotype:	IgG2a kappa
Cross-Reactivity (Details):	Cross reactivity with CD62L from other sources has not been tested.
Purification:	Allophycocyanin conjugated CD62L Monoclonal Antibody was purified from tissue culture supernatant via affinity chromatography and is directed against mouse CD62L.
Sterility:	Sterile filtered
Labeling Ratio:	1-2


Target Details

Target:	L-Selectin (SELL)
Alternative Name:	CD62L (SELL Products)
Background:	Synonyms: L-selectin CD62 antigen-like family member L Leukocyte adhesion molecule 1 LAM-
	1 Leukocyte-endothelial cell adhesion molecule 1 LECAM1 Lymph node homing receptor
	Lymphocyte antigen 22 Ly-22 Lymphocyte surface MEL-14 antigen CD62L Sell Lnhr, Ly-22,
	Ly22
	Background: Anti-CD62L antibody is specific for mouse CD62L, also known as L-Selectin, a cell
	adhesion molecule which facilitates lymphocyte rolling on activated vascular endothelium and
	homing to high endothelial venules (HEV) as immune cells transmigrate from blood into
	peripheral tissues. L-Selectin is a member of a family of Selectin molecules which act together
	with the integrin family of adhesion molecules to mediate leukocyte-endothelial interactions. L-
	Selectin is characteristically expressed by neutrophils, and is also found on B cells, monocytes,
	granulocytes, and at varying levels on naive, effector and memory T cells. It is rapidly shed upon
	cell activation, releasing into the circulation a soluble form whose biological role is of particular
	interest in cancer biology research. The MEL-14 antibody may be used as a phenotypic marker
	for CD62L expression on a variety of immune cell types. Please note that CD62L (L-Selectin)
	itself is also referred to as MEL-14 in the literature.
	Gene Name: Sell
Gene ID:	20343
NCBI Accession:	NP_035476
UniProt:	P18337
Application Details	
Application Notes:	Immunoprecipitation_Dilution: User Optimized
	Immunohistochemistry_Dilution: User Optimized
	Flow_Cytometry_Dilution: 10 μL/10 ⁶ cells (0.1 μg)
Comment:	Anti-CD62L is tested for FLOW and useful for Immunohistochemistry and Immunoprecipitation
	using mouse spleen cells, or an appropriate cell type (where indicated). Researchers should
	determine optimal titers for applications that are not stated.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	Buffer: 0.01 M Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2 Stabilizer: 0.1 % Gelatin Preservative: 0.09 % (w/v) Sodium Azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Storage Comment:	Store vial at 4° C prior to opening. Dilute only prior to immediate use. This product is stable at 4° C as an undiluted liquid. Use subdued lighting during handling and incubation of cells prior to analysis. Store reagent in the dark. DO NOT FREEZE.
Expiry Date:	6 months

Images



Flow Cytometry

Image 1. Flow Cytometry of anti-CD62L APC - 200-526-N87 Flow Cytometry of anti-CD62L Allophycocyanin Conjugated Monoclonal Antibody. Cells: C57Bl/6 mouse splenocytes. Stimulation: none. Antibody: (Dotted Line) APC Rat IgG2a isotype control; (Solid Line) Allophycocyanin Anti-CD62L antibody using 0.06 ug.