

Datasheet for ABIN6657792 anti-STXBP1 antibody (pSer241)



Go to Product page

(۱۱/	er	٦/	iΔ	۱۸۸
_	ノ V	\sim 1	٧		٧V

Quantity:	100 μL
Target:	STXBP1
Binding Specificity:	pSer241
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This STXBP1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA
Product Details	
Purpose:	Munc18-1 Phospho S241 Antibody
Immunogon:	
Immunogen:	Anti-Phospho-Ser241 Munc18-1 Antibody was produced in rabbits by repeated immunizations with a synthetic phospho-peptide corresponding to amino acid residues surrounding Ser241 of mouse Munc-18-1 protein conjugated to KLH.
Immunogen: Isotype:	with a synthetic phospho-peptide corresponding to amino acid residues surrounding Ser241 of
	with a synthetic phospho-peptide corresponding to amino acid residues surrounding Ser241 of mouse Munc-18-1 protein conjugated to KLH.
Isotype:	with a synthetic phospho-peptide corresponding to amino acid residues surrounding Ser241 of mouse Munc-18-1 protein conjugated to KLH. IgG Anti-Phospho-Ser241 Munc18-1 Antibody is directed against Munc18-1 protein phosphorylated

Target Details

Munc18-1 (STXBP1 Products)
Synonyms: Syntaxin-binding protein 1, Protein unc-18 homolog 1, Unc18-1, Protein unc-18
homolog A, Unc-18A
Background: Munc-18 (mammalian homologue of Unc-18) is a protein that is thought to be
involved in regulating exocytosis due, at least in part, to it ability to bind syntaxin. Munc18-1 is a
neuron-specific member of the Sec1/Munc18 protein family that binds to syntaxin1A and is
thought to stabilize the complex. The function of Munc18-1 is thought to be regulated by
phosphorylation. Munc18-1 pS241 Antibody is ideal for researchers interested in neuroscience
research.
Gene Name: STXBP1
20910
NP_001107041
008599
Synaptic Vesicle Exocytosis, Dicarboxylic Acid Transport
ELISA_Dilution: 1:10,000
Western_Blot_Dilution: 1:1000
Anti-Phospho-Ser241 Munc18-1 Antibody is tested for Western Blots and is specific for the \sim 65
kDa Munc18-1 protein phosphorylated at Ser241. Immunolabeling is blocked by the treatment
of the lysate with lambda phosphatase (30 minutes, 800 units / 1 mg protein). Specific
conditions for reactivity should be optimized by the end user.
For Research Use only
Liquid
Buffer: 0.01 M HEPES, 0.15 M Sodium Chloride, pH 7.5
Stabilizer: 0.1 mg/mL Bovine Serum Albumin (BSA) - IgG and Protease free, 50 % (v/v) Glycerol
Preservative: None
Without preservative

Handling

Storage:	-20 °C
Storage Comment:	Store vial at -20° C prior to opening in undiluted aliquots. Aliquot contents and freeze at -20° C or below for extended storage. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature.
Expiry Date:	12 months