

Datasheet for ABIN6658058 anti-Kv2.1/KCNB1 antibody (C-Term)

Image



Overview

1

Quantity:	100 µg
Target:	Kv2.1/KCNB1 (KCNB1)
Binding Specificity:	C-Term
Reactivity:	Rat
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This Kv2.1/KCNB1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Fluorescence Microscopy (FM)

Product Details

Purpose:	Kv2.1 Antibody
Immunogen:	Kv2.1 Antibody was produced in mice by repeated immunizations with recombinant protein corresponding to the c-terminal region of rat KV2.1.
Clone:	S4-11
Isotype:	lgG1
Purification:	Anti-Kv2.1 Antibody was purified by Protein G chromatography.
Sterility:	Sterile filtered

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN6658058 | 01/21/2025 | Copyright antibodies-online. All rights reserved.


Target Details		
Target:	Kv2.1/KCNB1 (KCNB1)	
Alternative Name:	Kv2.1 (KCNB1 Products)	
Background:	Synonyms: Shab, Kv2.1, DRK1PC, Kcr1-1, Kcnb1, Potassium voltage-gated channel subfamily B member 1, Delayed rectifier potassium channel 1, DRK1, Voltage-gated potassium channel subunit Kv2.1 Background: Voltage gated channels are tetrameters composed of four alpha-subunits arranged around a central pore. Each alpha subunit consists of six transmembrane segments with cytoplasmic NH2 and COOH-termini. Members of the KV1- KV4 subfamilies generate functional K+ channels in a homotetrameric configuration. The KV2 subfamily consists of KV2.1 and KV2.2, and both have very similar properties. Members of the KV2 subfamily are widely expressed in neuronal tissues. They have also been reported in neurons in the dorsal root ganglia.	
Gene ID:	Gene Name: Kcnb1 25736	
NCBI Accession:	NP_037318	
UniProt:	P15387	
Pathways:	Synaptic Membrane	
Application Details		
Application Notes:	Immunoprecipitation_Dilution: User Optimized Immunohistochemistry_Dilution: 0.1-1.0 µg/mL IF_Microscopy_Dilution: 1.0-10 µg/mL Western_Blot_Dilution: 1 µg/mL	
Comment:	Anti-Kv2.1 Antibody is tested for use in WB, IP, IF microscopy and IHC. Expect a band approximately ~105-125kDa on specific lysates. Specific conditions for reactivity should be optimized by the end user.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	Buffer: 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 Stabilizer: 50 % (v/v) Glycerol	

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN6658058 | 01/21/2025 | Copyright antibodies-online. All rights reserved.

Н	land	ling

Storage:	4 °C,-20 °C
Storage Comment:	Store vial at -20° C prior to opening. Aliquot contents and freeze at -20° C or below for extended storage. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.
Expiry Date:	12 months

Images



Immunohistochemistry

Image1.Kv2.1Immunohistochemistry.Immunohistochemistry of mouse anti-Kv2.1 antibody.Tissue: Mouse Brain hippocampus. Primary Antibody: Kv2.1antibody at 1 μg/mL for 1h at RT. Secondary antibody:Peroxidase mouse secondary at 1:10,000 for 45 min at RT.Localization: membrane. Staining: Kv2.1 as brown signal.