

[Go to Product page](#)

Datasheet for ABIN668528

anti-WNK4 antibody (AA 351-450) (Biotin)

Overview

| | |
|----------------------|--|
| Quantity: | 100 µL |
| Target: | WNK4 |
| Binding Specificity: | AA 351-450 |
| Reactivity: | Mouse |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This WNK4 antibody is conjugated to Biotin |
| Application: | ELISA, Western Blotting (WB) |

Product Details

| | |
|-----------------------|--|
| Immunogen: | KLH conjugated synthetic peptide derived from human WNK4 |
| Isotype: | IgG |
| Cross-Reactivity: | Mouse |
| Predicted Reactivity: | Human,Rat |
| Purification: | Purified by Protein A. |

Target Details

| | |
|-------------------|--|
| Target: | WNK4 |
| Alternative Name: | WNK4 (WNK4 Products) |
| Background: | Synonyms: PHA 2B, PHA2B, PRKWINK 4, PRKWINK4, Protein kinase lysine deficient 4, Protein |

Target Details

kinase with no lysine 4, Serine/threonine protein kinase WNK4, WNK lysine deficient protein kinase 4, WNK4_HUMAN.

Background: Regulates the activity of the thiazide-sensitive Na-Cl cotransporter, SLC12A3, by phosphorylation which appears to prevent membrane trafficking of SLC12A3. Also inhibits the renal K(+)channel, KCNJ1, via a kinase-independent mechanism by which it induces clearance of the protein from the cell surface by clathrin-dependent endocytosis. WNK4 appears to act as a molecular switch that can vary the balance between NaCl reabsorption and K(+)secretion to maintain integrated homeostasis.

Gene ID: 65266

Application Details

Application Notes: WB 1:300-5000

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 1 µg/µL

Buffer: Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Storage: -20 °C

Storage Comment: Store at -20°C for 12 months.

Expiry Date: 12 months