antibodies - online.com







anti-ADRB1 antibody (AA 181-250) (HRP)



()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Quantity:	100 μL	
Target:	ADRB1	
Binding Specificity:	AA 181-250	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This ADRB1 antibody is conjugated to HRP	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human ADRB1	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse, Rat	
Predicted Reactivity:	Dog,Pig	
Purification:	Purified by Protein A.	

Target Details

Target:	ADRB1
Alternative Name:	ADRB1 (ADRB1 Products)

Target Details

•			
Background:	Synonyms: RHR, B1AR, ADRB1R, BETA1AR, Beta-1 adrenergic receptor, Beta-1 adrenoreceptor,		
	Beta-1 adrenoceptor, ADRB1		
	Background: Beta-adrenergic receptors mediate the catecholamine-induced activation of		
	adenylate cyclase through the action of G proteins. This receptor binds epinephrine and		
	norepinephrine with approximately equal affinity. Mediates Ras activation through G(s)-alpha-		
	and cAMP-mediated signaling.		
Gene ID:	153		
UniProt:	P08588		
Pathways:	cAMP Metabolic Process, Cellular Glucan Metabolic Process, Regulation of Muscle Cell		
	Differentiation, Synaptic Membrane, Regulation of G-Protein Coupled Receptor Protein		
	Signaling, G-protein mediated Events, Interaction of EGFR with phospholipase C-gamma, Brown		
	Fat Cell Differentiation		
Application Details			
Application Notes:	WB 1:300-5000		
	IHC-P 1:200-400		
	IHC-F 1:100-500		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish		
	peroxidase.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		

Н	land	lına
	iaria	шц

Expiry Date:

12 months