## antibodies -online.com





## Goat anti-Armenian Hamster IgG Antibody (DyLight 549) - Preadsorbed



Go to Product page

( )	11/0	K\ /	iew	1
	$\cup$	'I V/I	$\square \vee \vee$	ı

Quantity:	100 μg
Target:	IgG
Reactivity:	Golden Syrian Hamster, Armenian Hamster
Host:	Goat
Clonality:	Polyclonal
Conjugate:	DyLight 549
Application:	Western Blotting (WB), FLISA, Fluorescence Microscopy (FM)

Product Details	
Immunogen:	Immunogen: Armenian and Golden Syrian Hamster IgG, whole molecule
Isotype:	IgG
Characteristics:	Synonyms: goat anti-Golden Syrian & Armenian Hamster IgG DyLight™549 conjugated antibody,
	goat anti-Hamster IgG DyLight™ 549 conjugated antibody
	Background: Anti-Golden Syrian & Armenian Hamster IgG DyLight Antibody generated in goat
	detects Golden Syrian & Armenian Hamster IgG. Secreted as part of the adaptive immune
	response by plasma B cells, immunoglobulin G constitutes 75 % of serum immunoglobulins.
	Immunoglobulin G binds to viruses, bacteria, as well as fungi and facilitates their destruction or
	neutralization via agglutination (and thereby immobilizing them), activation of the compliment
	cascade, and opsinization for phagocytosis. The whole IgG molecule possesses both the F(c)
	region, recognized by high-affinity Fc receptor proteins, as well as the F(ab) region possessing
	the epitope-recognition site. Both heavy and light chains of the antibody molecule are present.
	Secondary Antibodies are available in a variety of formats and conjugate types. When choosing

## **Product Details**

Precaution of Use:

Troduct Details	
	a secondary antibody product, consideration must be given to species and immunoglobulin
	specificity, conjugate type, fragment and chain specificity, level of cross-reactivity, and host-
	species source and fragment composition.
Purification:	Preadsorption: Solid phase absorption
Labeling Ratio:	3.1
Target Details	
Target:	IgG
Abstract:	IgG Products
Target Type:	Antibody
Application Details	
Application Notes:	Application Note: The emission spectra for this DyLight™ conjugate match the principle outpu
	wavelengths of most common fluorescence instrumentation. This product is designed for
	immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent
	western blotting. This product is also suitable for multiplex analysis, including multicolor
	imaging, utilizing various commercial platforms.
	FLISA Dilution: >1:20,000
	Western Blot Dilution: >1:10,000
	IF Microscopy Dilution: >1:5,000
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Reconstitution Volume: 100 μL
	Reconstitution Buffer: Restore with deionized water (or equivalent)
Buffer:	Buffer: 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
	Stabilizer: 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free
	0.01 % (w/v) Sodium Azide
Preservative:	Sodium azide
D	This was don't a satisfact On dissacration a DOLOGNIQUIO AND HAZADDOUG OUDOTANIOS.

This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which

## Handling

	should be handled by trained staff only.
Storage:	RT,4 °C,-20 °C
Storage Comment:	Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.
Expiry Date:	12 months