





Donkey anti-Mouse IgG Antibody (DyLight 680) - Preadsorbed





Go to Product page

\sim			
()	N/0	r\/	$\triangle M$
\cup	$' \lor \Box$	1 V I	iew

Quantity:	100 μg	
Target:	IgG	
Reactivity:	Mouse	
Host:	Donkey	
Clonality:	Polyclonal	
Conjugate:	DyLight 680	
Application:	Western Blotting (WB), FLISA, Fluorescence Microscopy (FM)	

Product Details

Purpose:	Donkey anti-Mouse IgG DyLight 680™ Conjugated Antibody	
Immunogen:	Immunogen: Mouse IgG whole molecule	
Isotype:	IgG	
Specificity:	This antibody will react with heavy chains of Mouse IgG and with light chains of most Mouse immunoglobulins.	
Characteristics:	Synonyms: Donkey anti-Mouse IgG DyLight 680™ Conjugated Antibody, Donkey anti Mouse IgG Antibody DyLight 680™ Conjugation Background: Anti-Mouse IgG DyLight680 Antibody generated in donkey detects reactivity to Mouse IgG. Secreted as part of the adaptive immune response by plasma B cells, immunoglobulin G constitutes 75 % of serum immunoglobulins. Immunoglobulin G binds to viruses, bacteria, as well as fungi and facilitates their destruction or neutralization via	
	Mouse IgG. Secreted as part of the adaptive immune response by plasma B cells, immunoglobulin G constitutes 75 % of serum immunoglobulins. Immunoglobulin G bind.	

opsinization for phagocytosis. The whole IgG molecule possesses both the F(c) region, recognized by high-affinity Fc receptor proteins, as well as the F(ab) region possessing the epitope-recognition site. Both the Heavy and Light chains of the antibody molecule are present. Secondary Antibodies are available in a variety of formats and conjugate types. When choosing a secondary antibody product, consideration must be given to species and immunoglobulin specificity, conjugate type, fragment and chain specificity, level of cross-reactivity, and host-species source and fragment composition.

Purification:

This product was prepared from monospecific antiserum by immunoaffinity chromatography using Mouse IgG coupled to agarose beads followed by conjugation to fluorochrome and extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Donkey Serum, Mouse IgG and Mouse Serum.

Labeling Ratio:

2.1

Target Details

Target: IgG

Abstract: IgG Products

Target Type: Antibody

Application Details

Application Notes:

Application Note: This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms. The emission spectra for this DyLight™ conjugate match the principle output wavelengths of most common fluorescence instrumentation.

FLISA Dilution: >1:20,000

Western Blot Dilution: >1:10,000 IF Microscopy Dilution: >1:5,000

Restrictions:

For Research Use only

Handling

Format: Lyophilized

Reconstitution: Reconstitution Volume: 100 µL

Handling

	Reconstitution Buffer: Restore with deionized water (or equivalent)	
Buffer:	Buffer: 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2	
	Stabilizer: 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free	
	0.01 % (w/v) Sodium Azide	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	
	should be handled by trained staff only.	
Storage:	RT,4 °C,-20 °C	
Storage Comment:	Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20°	
	C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear	
	after standing at room temperature. This product is stable for several weeks at 4° C as an	
	undiluted liquid. Dilute only prior to immediate use.	
Expiry Date:	12 months	
Publications		
Product cited in:	Ward, Maselko, Lupfer, Prescott, Pastey: "Interaction of the Human Respiratory Syncytial Virus	
	matrix protein with cellular adaptor protein complex 3 plays a critical role in trafficking." in:	
	PLoS ONE , Vol. 12, Issue 10, pp. e0184629, (2017) (PubMed).	
	PLUS UNE, VOI. 12, ISSUE 10, pp. e0104029, (2017) (Publified).	