

Datasheet for ABIN6699622 Ccl21a Protein



| Overview | |
|------------------------------|---|
| Quantity: | 100 µg |
| Target: | Ccl21a (CCL21A) |
| Origin: | Mouse |
| Source: | Escherichia coli (E. coli) |
| Protein Type: | Recombinant |
| Product Details | |
| Purpose: | Mouse Exodus-2 / CCL21 Recombinant Protein |
| Purification: | Exodus-2 / CCL21 purity was determined to be greater than 98% as determined by analysis by SDS-pAGE. |
| Purity: | 98,00% |
| Endotoxin Level: | Measured by LAL is typically \leq 1 EU/µg protein. |
| Biological Activity Comment: | The activity is determined by its ability to chemoattract 5-10 day old cultures of human peripheral blood lymphocytes at concentrations between 200 ng/mL- 600 ng/mL. |

Target Details

| Target: | Ccl21a (CCL21A) |
|-------------------|---|
| Alternative Name: | Ccl21a (CCL21A Products) |
| Background: | Synonyms: CCL21, 6Ckine, Beta-chemokine exodus-2, Small-inducible cytokine A21a, Thymus- derivedchemotactic agent 4 (TCA4) |
| | Background: Exodus-2, also known as CCL21 and 6Ckine, is a novel chemokine produced at |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN6699622 | 02/14/2025 | Copyright antibodies-online. All rights reserved.

| Target Details | |
|---------------------|---|
| | high levels in human lymph node tissue and the spleen. 6Ckine signals through the CCR7 receptor to recruit thymocytes and activated T cells in vitro, but is not known to be chemotactic for monocytes. Human and mouse Exodus-2 share > 85 % amino acid identity. Recombinant mouse Exodus-2 is a non-glycosylated protein, containing 110 amino acids, with a molecular weight of 12 kDa. |
| UniProt: | P84444 |
| Application Details | |
| Application Notes: | Other: User Optimized Application_Note: Exodus-2 Recombinant Protein is suitable as a control for polyclonal or monoclonal anti-Exodus-2 in immunological assays. |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Lyophilized |
| Reconstitution: | Reconstitution_Buffer: Restore with deionized water (or equivalent) Reconstitution_Volume: 100 µL |
| Buffer: | Buffer: 0.1 % Trifluoroacetic acid Stabilizer: None |
| Preservative: | Without preservative |
| Storage: | -20 °C |
| Storage Comment: | Store vial at -20° C prior to restoration. Dilute only prior to immediate use. Maintain sterility. This product DOES NOT contain preservative. DO NOT VORTEX. We recommend adding a carrier protein such as HSA or BSA to 0.1% (i.e. 1.0 mg/mL). For best results aliquot contents and freeze at -20° C or colder. Avoid cycles of freezing and thawing. Centrifuge vial before each opening to dislodge contents from the cap and to clarify if contents are not clear after standing at room temperature. |
| Expiry Date: | 6 months |