# antibodies -online.com







# **CCL23 Protein**





#### Overview

Quantity:	20 μg
Target:	CCL23
Origin:	Mouse
Source:	Escherichia coli (E. coli)

## **Product Details**

Cross-Reactivity:	Mouse (Murine)
Characteristics:	C-C motif chemokine 19, Small-inducible cytokine A19, Epstein-Barr virus-induced molecule 1 ligand chemokine, EBI1 ligand chemokine, ELC
Purification:	Purity was determined to be greater than 98% as determined by reducing and non-reducing SDS-PAGE and analytical HPLC.
Endotoxin Level:	Low endotoxin

# Target Details

Target:	CCL23
Alternative Name:	MIP-3ß (CCL23 Products)
UniProt:	070460

# **Application Details**

Application Notes:	Application Note: MIP-3ß is suitable as a control for polyclonal or monoclonal anti-MIP-3ß in
	immunological assays.

# **Application Details**

Other Performance Data: Biological Activity: Recombinant mouse MIP-3-beta induces
chemotaxis of human T- cells in a concentration range of 8 - 80 ng/mL. Endotoxin Level:
Measured by LAL is <0.01 ng/μg or <0.1EU/μg.


Restrictions:

For Research Use only

# Handling

Format:	Lyophilized
Reconstitution:	Reconstitution Volume: 20 $\mu$ L (20-200 $\mu$ L) Reconstitution Buffer: Restore with deionized water (or equivalent)
Concentration:	0.1 μg/mL
Buffer:	Buffer: 0.1 % Trifluoroacetic acid
Preservative:	Without preservative
Storage:	RT,4 °C,-20 °C
Expiry Date:	6 months

## **Images**



#### **SDS-PAGE**

Image 1. MIP-3ß Mouse Recombinant Cytokine - SDS-PAGE. SDS-PAGE shows band corresponding to MIP-3ß (1µg) in lane 1 (unreduced) and lane 3 (reduced, arrowhead). Molecular weight estimation was made by comparison to prestained MW markers, lane 2.