

Datasheet for ABIN6699652

CCL7 Protein



Overview

Quantity:	100 μg
Target:	CCL7
Origin:	Rat
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Application:	SDS-PAGE (SDS)

Product Details

Purpose:	Rat Monocyte Chemotactic Protein-3 (CCL7) Recombinant Protein
Purification:	Monocyte Chemotactic protein-3 (CCL7) purity was determined to be greater than 97% as determined by HpLC, analysis by UV-Spectroscopy at 280nm, and by reducing and non-reducing SDS-pAGE.
Purity:	97,00%
Endotoxin Level:	Measured by LAL is typically ≤ 1 EU/μg protein.
Biological Activity Comment:	The activity is determined by the ability to chemoattract human monocytes or THP-1 cells at 1-100 ng/mL.

Target Details

Target:	CCL7
Alternative Name:	Ccl7 (CCL7 Products)
Background:	Synonyms: MARC, Monocyte chemoattractant protein 3, Monocyte chemotactic protein 3

	(MCP-3), Small-inducible cytokine A7 Background: Monocyte Chemotactic Protein 3 (MCP-3), also called CCL7, is chemokine produced by macrophages and some tumor cell lines. MCP-3 signals through three different G protein-coupled receptors, CCR1, CCR2, and CCR3. CCL7 chemoattracts monocytes and can regulate macrophage function. Recombinant rat MCP-3 is a non-glycosylated protein, containing 75 amino acids, with a molecular weight of 8.6 kDa.
UniProt:	Q9QXY8
Application Details	
Application Notes:	Application Note: Monocyte Chemotactic Protein-3 Recombinant Protein is suitable as a control for polyclonal or monoclonal anti-Monocyte Chemotactic Protein-3 in immunological assays. Other: User Optimized
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Reconstitution_Buffer: Restore with deionized water (or equivalent) Reconstitution_Volume: 100 µL
Buffer:	Buffer: 0.1 % Trifluoroacetic acid Stabilizer: None
Preservative:	Without preservative
Storage:	4 °C,-20 °C
Storage Comment:	Store vial at 4° C prior to restoration. Dilute only prior to immediate use. Maintain sterility. This product DOES NOT contain preservative. DO NOT VORTEX. We recommend adding a carrier protein such as HSA or BSA to 0.1% (i.e. 1.0 mg/mL). For best results aliquot contents and freeze at -20° C or colder. Avoid cycles of freezing and thawing. Centrifuge vial before each opening to dislodge contents from the cap and to clarify if contents are not clear after standing at room temperature.
Expiry Date:	6 months