# ANTIBODIES ONLINE

Datasheet for ABIN6699808 **EBI3 Protein** 

Image



#### Overview

1

Quantity:	100 µg
Target:	EBI3 (IL-27b)
Origin:	Human
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Application:	SDS-PAGE (SDS)

#### Product Details

Purpose:	Human Epstein-Barr Virus Induced Gene 3 Recombinant Protein (Animal Free)
Purification:	Epstein-Barr Virus Induced Gene-3 is produced with no animal-derived raw products, animal free equipment and animal free protocols. Purity was determined to be greater than 90% as determined by reducing and non-reducing SDS-PAGE.
Purity:	90,00%
Endotoxin Level:	Measured by LAL is typically $\leq$ 1 EU/µg protein.
Grade:	Animal-Free
Biological Activity Comment:	Human EBI3 has no known independent biological function, but is assayed by qualitative binding to an anti-EBI-3 antibody.

#### Target Details

Target:	EBI3 (IL-27b)
Alternative Name:	EBI3 (IL-27b Products)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN6699808 | 02/14/2025 | Copyright antibodies-online. All rights reserved.

### Target Details

	protein, containing 210 amino acids, with a molecular weight of 23.3 kDa.
	have anti-inflammatory and regulatory activity. Recombinant human EBI3 is a non-glycosylated
	forms heterodimers with p28 to form IL-27 and with p35 to form IL-35. Both IL-27 and IL-35
	by its induced expression in B-lymphocytes in response to Epstein-Barr virus infection. EBI3
	the hematopoietin receptor family and is related to the p40 subunit of IL-12. EBI3 was identified
	Background: Epstein-Barr Virus Induced Gene-3 (EBI3), is a secreted glycoprotein belonging to
Background:	Synonyms: IL-35/EBI3, IL-27/EBI3

UniProt:

Q14213

## Application Details


Application Notes:	Other: User Optimized
	Application_Note: Epstein-Barr Virus Induced Gene 3 Recombinant Protein has been tested by
	SDS-PAGE and is suitable as a control for polyclonal or monoclonal anti-Epstein-Barr Virus
	Induced Gene 3 in immunological assays.
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized

Reconstitution:	Reconstitution_Buffer: Restore with deionized water (or equivalent)
	Reconstitution_Volume: 100 µL
Buffer:	Buffer: 0.1 % Trifluoroacetic acid
	Stabilizer: 0.5 % Mannitol
Preservative:	Without preservative
Storage:	4 °C,-20 °C
Storage Comment:	Store vial at 4° C prior to restoration. Dilute only prior to immediate use. Maintain sterility. This
	product DOES NOT contain preservative. DO NOT VORTEX. We recommend adding a carrier
	protein such as HSA or BSA to 0.1% (i.e. 1.0 mg/mL). For best results aliquot contents and
	freeze at -20° C or colder. Avoid cycles of freezing and thawing. Centrifuge vial before each
	opening to dislodge contents from the cap and to clarify if contents are not clear after standing
	at room temperature.

Expiry Date:

6 months

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN6699808 | 02/14/2025 | Copyright antibodies-online. All rights reserved.



#### SDS-PAGE

**Image 1.** SDS-PAGE of Human Epstein-Barr Virus Induced Gene 3 Recombinant Protein (Animal Free) SDS-PAGE of Human Epstein-Barr Virus Induced Gene 3 Animal Free Recombinant Protein. Lane 1: 1 µg Human EBI3 AF in nonreducing conditions . Lane 2: 1 µg Human EBI3 AF in reducing conditions (+). Lane 3: Molecular weight marker. Human EBI3 AF has a predicted MW of 23.3 kDa.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN6699808 | 02/14/2025 | Copyright antibodies-online. All rights reserved.