

# Datasheet for ABIN6699913

## **GDF5 Protein**

2 Images



#### Overview

| Quantity:     | 50 μg                      |
|---------------|----------------------------|
| Target:       | GDF5                       |
| Origin:       | Human                      |
| Source:       | Escherichia coli (E. coli) |
| Protein Type: | Recombinant                |
| Application:  | SDS-PAGE (SDS)             |

#### **Product Details**

| Purpose:                     | Human Growth and Differentiation Factor-5 Recombinant Protein   |
|------------------------------|---|
| Purification:                | Growth and Differentiation Factor-5 purity was determined to be greater than 98% as determined by analysis by HpLC, UV-Spectroscopy at 280nm and by reducing and non-reducing SDS-pAGE. |
| Purity:                      | 98,00%  |
| Endotoxin Level:             | Measured by LAL is typically ≤ 1 EU/μg protein.   |
| Biological Activity Comment: | The activity is determined by the ability to induce alkaline phosphatase activity in ATDC5 cells is typically 0.1-1 $\mu$ g/mL.   |

## Target Details

| Target:           | GDF5  |
|-------------------|---|
| Alternative Name: | GDF5 (GDF5 Products)                                |
| Background:       | Synonyms: Cartilage-derived morphogenetic protein 1 |

| Background: Growth/Differentiation Factor 5 (GDF-5) is a growth factor that regulates cell        |  |  |
|---|--|--|
| proliferation and differentiation in embryonic and adult tissues. GDF-5 is part of the TGF family |  |  |
| of proteins and is closely related to the BMP family of proteins. Recombinant human GDF-5 is a    |  |  |
| non-glycosylated homodimer, containing two 120 amino acids chains, with a total molecular         |  |  |
| weight of 27.4 kDa. To enable bacterial expression the N-terminal sequence of Ala-Pro-Leu-Th      |  |  |
| was replaced with a Lys.  |  |  |

UniProt:

P43026

Lyophilized


## **Application Details**


| Application Notes: | Other: User Optimized  |
|--------------------|--|
|                    | Application_Note: Growth and Differentiation Factor-5 Recombinant Protein has been tested by     |
|                    | SDS-PAGE and biological activity and is suitable as a control for polyclonal or monoclonal anti- |
|                    | Growth and Differentiation Factor-5 in immunological assays.                                     |
| Comment:           | Suggested_Applications: Cellular Assay Other_Performance_Data:                                   |
| Restrictions:      | For Research Use only  |

# Handling

Format:

| Reconstitution:  | Reconstitution_Buffer: Restore with deionized water (or equivalent)  Reconstitution_Volume: 50µL  |
|------------------|---|
| Buffer:          | Buffer: 0.1 % Trifluoroacetic acid Stabilizer: None   |
| Preservative:    | Without preservative  |
| Storage:         | 4 °C,-20 °C   |
| Storage Comment: | Store vial at 4° C prior to restoration. Dilute only prior to immediate use. Maintain sterility. This product DOES NOT contain preservative. DO NOT VORTEX. We recommend adding a carrier protein such as HSA or BSA to 0.1% (i.e. 1.0 mg/mL). For best results aliquot contents and freeze at -20° C or colder. Avoid cycles of freezing and thawing. Centrifuge vial before each opening to dislodge contents from the cap and to clarify if contents are not clear after standing at room temperature. |
| Expiry Date:     | 6 months  |





#### **SDS-PAGE**

**Image 1.** SDS-PAGE of Human Growth and Differentiation Factor-5 Recombinant Protein Bioactivity of Human Growth and Differentiation Factor-5 Recombinant Protein. Serial dilutions of Human GDF-5, starting at 5 ug/mL, were added to ATDC-5 cells growing in the presence of 4 ug/mL heparin. Alkaline phosphate activity was measure after 67 hours and the linear portion of the curve was us used to calculate the ED50. The ED50 of Human GDF-5 is 0.01 ug/mL. This value is comparable to the typical expected range of <1 ng/mL.

#### **SDS-PAGE**

**Image 2.** SDS-PAGE of Human Growth and Differentiation Factor-5 Recombinant Protein SDS-PAGE of Human Growth and Differentiation Factor-5 Recombinant Protein. Lane 1: Molecular weight marker. Lane 2: 1 μg Human GDF-5 in non-reducing conditions . Lane 3: 1 μg Human GDF-5 in reducing conditions (+). Human GDF-5 is predicted to be a homodimer with a total MW of 26.8 kDa.