

Datasheet for ABIN6700069

IL-2 Protein

2 Images



Go to Product pag

Overview

Quantity:	100 μg
Target:	IL-2 (IL2)
Origin:	Mouse
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Application:	SDS-PAGE (SDS)

Product Details

Purpose:	Mouse Interleukin-2 Recombinant Protein
Purification:	Interleukin-2 purity was determined to be greater than 98% as determined by HpLC, analysis by UV-Spectroscopy at 280nm, and by reducing and non-reducing SDS-pAGE.
Purity:	98,00%
Endotoxin Level:	Measured by LAL is typically ≤ 1 EU/μg protein.
Biological Activity Comment:	The activity is determined by its ability to induce the proliferation of CTLL-2 cells and is typically 0.1-0.4 ng/mL.

Target Details

Target:	IL-2 (IL2)
Alternative Name:	IL2 (IL2 Products)
Background:	Synonyms: T cell growth factor, TCGF, Aldesleukin Background: Interleukin-2 (IL-2) is an immuno-modulatory cytokine produced by stimulated T

Target Details

UniProt:

Pathways:

cells. IL-2 signals through the IL-2R receptor to induce proliferation of activated T cells. IL-2 also
stimulates proliferation and differentiation of B cells, natural killer cells, monocytes and
macrophages. Recombinant mouse IL-2 is a non-glycosylated protein, containing 149 amino
acids, with a molecular weight of 17.2 kDa.
P04351
JAK-STAT Signaling, Regulation of Leukocyte Mediated Immunity, Positive Regulation of


,	<i>y</i> ,
	Immune Effector Process, Production of Molecular Mediator of Immune Response, Activated T
	Cell Proliferation
Application Details	
Application Notes:	Other: User Optimized
	Application_Note: Mouse Interleukin-2 Recombinant Protein has been tested by SDS-PAGE and
	biological activity and is suitable as a control for polyclonal or monoclonal anti-Mouse
	Interleukin-2 in immunological assays.
Comment:	Suggested_Applications: Cellular Assay
	Other_Performance_Data:
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Reconstitution_Buffer: Restore with deionized water (or equivalent)
	Reconstitution_Volume: 100 μL
Concentration:	0.1 mg/mL
Buffer:	Lyophilized in 0.01M sodium citrate, pH 4.0.
Preservative:	Without preservative
Storage:	-20 °C
Storage Comment:	Store vial at -20° C prior to restoration. Dilute only prior to immediate use. Maintain sterility. This
	product DOES NOT contain preservative. DO NOT VORTEX. We recommend adding a carrier
	protein such as HSA or BSA to 0.1% (i.e. 1.0 mg/mL). For best results aliquot contents and
	freeze at -20° C or colder. Avoid cycles of freezing and thawing. Centrifuge vial before each
	opening to dislodge contents from the cap and to clarify if contents are not clear after standing

at room temperature.

Expiry Date:


6 months

Images



SDS-PAGE

Image 1. SDS-PAGE of Mouse Interleukin-2 Recombinant Protein SDS-PAGE of Mouse Interleukin-2 Recombinant Protein. Lane 1: 1 μg Mouse IL-2 in reducing conditions (+). Lane 2: Molecular weight marker. Mouse IL-2 has a predicted MW of 17.2 kDa.



SDS-PAGE

Image 2. SDS-PAGE of Mouse Interleukin-2 Recombinant Protein Bioactivity of Mouse Interleukin-2 Recombinant Protein. CTLL-2 cells were cultured with 0 to 25 ng/mL Mouse IL-2. Cell proliferation was measured after 66 hours and the linear portion of the curve was us used to calculate the ED50. The ED50 of Mouse IL-2 is 3.9-5.9 ng/mL.