

# Datasheet for ABIN6700470

## **RETNLB Protein**





### Overview

Quantity:	100 μg
Target:	RETNLB
Origin:	Human
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Application:	SDS-PAGE (SDS)

### **Product Details**

Purpose:	Human RELM beta Recombinant Protein
Purification:	RELM beta purity was determined to be greater than 90% as determined by analysis by UV-Spectroscopy at 280nm.
Purity:	90,00%
Endotoxin Level:	Measured by LAL is typically ≤ 1 EU/μg protein.
Biological Activity Comment:	There is no biological assay available at this time.


# Target Details

Target:	RETNLB
Alternative Name:	RELM-beta (RETNLB Products)
Background:	Synonyms: FIZZ2
	of secreted proteins containing conserved cysteines in their C terminus. The RELM family

Expiry Date:

6 months

Target Details	
	consists of Resistin (also called FIZZ3), RELM- $\alpha$ (FIZZ1), and RELM- $\gamma$ . Only Resistin and RELM- $\beta$ were found in humans whereas all four RELM family members have been identified in rodents. Recombinant human RELM- $\beta$ is a non-glycosylated, disulfide-linked homodimer, containing two 89 amino acid chains, with a total molecular weight of 19 kDa.
UniProt:	Q2UXL7
Pathways:	Hormone Activity
Application Details	
Application Notes:	Other: User Optimized  Application_Note: RELM beta Recombinant Protein has been tested by SDDS-PAGE and is suitable as a control for polyclonal or monoclonal anti-RELM beta in immunological assays.
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Reconstitution_Buffer: Restore with deionized water (or equivalent)  Reconstitution_Volume: 100 µL
Buffer:	Buffer: 0.1 % Trifluoroacetic acid Stabilizer: None
Preservative:	Without preservative
Storage:	4 °C,-20 °C
Storage Comment:	Store vial at 4° C prior to restoration. Dilute only prior to immediate use. Maintain sterility. This product DOES NOT contain preservative. DO NOT VORTEX. We recommend adding a carrier protein such as HSA or BSA to 0.1% (i.e. 1.0 mg/mL). For best results aliquot contents and freeze at -20° C or colder. Avoid cycles of freezing and thawing. Centrifuge vial before each opening to dislodge contents from the cap and to clarify if contents are not clear after standing at room temperature.



### **SDS-PAGE**

Image 1. SDS-PAGE of Human RELM beta Recombinant Protein SDS-PAGE of Human RELM beta Recombinant Protein. Lane 1: Molecular weight marker. Lane 2: 1  $\mu$ g Human Relm beta in non-reducing conditions . Lane 3: 1  $\mu$ g Human Relm beta in reducing conditions (+). Human Relm beta is predicted to be a homodimer with a predicted MW of 19 kDa.