

Datasheet for ABIN6700480 Chemerin Protein

Image



Overview

1

Quantity:	5 µg
Target:	Chemerin (RARRES2)
Origin:	Human
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Application:	SDS-PAGE (SDS)

Product Details

Purpose:	Human Chemerin Recombinant Protein
Purification:	Chemerin purity was determined to be greater than 98% as determined by analysis by HpLC, UV-Spectroscopy at 280nm, and by reducing and non-reducing SDS-pAGE.
Purity:	98,00%
Endotoxin Level:	Measured by LAL is typically \leq 1 EU/µg protein.
Biological Activity Comment:	The activity is determined by its ability to chemoattract human Chem23R transfected BaF3 mouse pro-B cells and is typically 4-20 ng/mL.


Target Details

Target:	Chemerin (RARRES2)	
Alternative Name:	RARRES2 (RARRES2 Products)	
Background:	Synonyms: Tazarotene-induced gene 2 (TIG2), RARRES2	
	Background: Chemerin is a chemoattractant expressed in white adipose, liver and lung tissues.	

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN6700480 | 02/14/2025 | Copyright antibodies-online. All rights reserved.

Target I	Details
----------	---------

	Chemerin is a ligand for the G-protein coupled receptor known as ChemR23 (or chemokine-like
	receptor-1), which is expressed mainly on dendritic cells, macrophages and some adipocytes.
	Recombinant human Chemerin is a non-glycosylated protein, containing 138 amino acids, with
	a total molecular weight of 16 kDa.
UniProt:	Q99969
Pathways:	Brown Fat Cell Differentiation
Application Details	
Application Notes:	Other: User Optimized
	Application_Note: Chemerin Recombinant Protein has been tested by SDS-PAGE and is suitable
	as a control for polyclonal or monoclonal anti-Chemerin in immunological assays.
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Reconstitution_Buffer: Restore with deionized water (or equivalent)
	Reconstitution_Volume: 5 µL (5-50 µL)
Buffer:	Buffer: 0.1 % Trifluoroacetic acid
	Stabilizer: None
Preservative:	
Preservative.	Without preservative
	Without preservative 4 °C,-20 °C
Storage:	
Storage:	4 °C,-20 °C
Storage:	4 °C,-20 °C Store vial at 4° C prior to restoration. Dilute only prior to immediate use. Maintain sterility. This
Storage Comment:	4 °C,-20 °C Store vial at 4° C prior to restoration. Dilute only prior to immediate use. Maintain sterility. This product DOES NOT contain preservative. DO NOT VORTEX. We recommend adding a carrier
Storage:	4 °C,-20 °C Store vial at 4° C prior to restoration. Dilute only prior to immediate use. Maintain sterility. This product DOES NOT contain preservative. DO NOT VORTEX. We recommend adding a carrier protein such as HSA or BSA to 0.1% (i.e. 1.0 mg/mL). For best results aliquot contents and
Storage:	4 °C,-20 °C Store vial at 4° C prior to restoration. Dilute only prior to immediate use. Maintain sterility. This product DOES NOT contain preservative. DO NOT VORTEX. We recommend adding a carrier protein such as HSA or BSA to 0.1% (i.e. 1.0 mg/mL). For best results aliquot contents and freeze at -20° C or colder. Avoid cycles of freezing and thawing. Centrifuge vial before each
Storage:	4 °C,-20 °C Store vial at 4° C prior to restoration. Dilute only prior to immediate use. Maintain sterility. This product DOES NOT contain preservative. DO NOT VORTEX. We recommend adding a carrier protein such as HSA or BSA to 0.1% (i.e. 1.0 mg/mL). For best results aliquot contents and freeze at -20° C or colder. Avoid cycles of freezing and thawing. Centrifuge vial before each opening to dislodge contents from the cap and to clarify if contents are not clear after standing



SDS-PAGE

Image 1. SDS-PAGE of Human Chemerin Recombinant Protein SDS-PAGE of Human Chemerin Recombinant Protein. Lane 1: 1 μ g Human Chemerin Recombinant Protein in non-reducing conditions . Lane 2: 1 μ g Human Chemerin Recombinant Protein in reducing conditions (+). Lane 3: Molecular weight marker. Human Chemerin has a predicted MW of 15.6 kDa.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN6700480 | 02/14/2025 | Copyright antibodies-online. All rights reserved.