

# Datasheet for ABIN6700933

### **IFNA2** Protein





#### Overview

Quantity:	100 μg
Target:	IFNA2
Origin:	Human
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Application:	SDS-PAGE (SDS)

### **Product Details**


Purpose:	Human Interferon-alpha 2a Recombinant Protein
Purification:	Interferon-alpha 2a purity was determined to be greater than 98% as determined by HpLC and by reducing and non-reducing SDS-pAGE.
Purity:	98,00%
Endotoxin Level:	Measured by LAL is typically ≤ 1 EU/μg protein.
Biological Activity Comment:	The activity is determined by the ability induce antiviral activity.

# Target Details

Target:	IFNA2
Alternative Name:	IFNA2 (IFNA2 Products)
Background:	Synonyms: Interferon alpha-A (LeIF A)Type I Interferon, Alpha 2  Background: Interferon-alpha 2a (IFNa 2a) is a Type I interferon made by leukocytes during viral
	infection. It has anti-viral and non-proliferative activity induced by JAK1-STAT signaling. IFN-

## **Target Details**

Target Details	
	alpha 2s are the most widely used type for the rapeutic purposes. IFN $\!\alpha$ 2b is a variant of IFN $\!\alpha$ 2
	a that differs by one amino acid. Recombinant human IFNα 2a is a non-glycosylated protein,
	containing 166 amino acids, with a molecular weight of 19.37 kDa.
UniProt:	P01563
Pathways:	JAK-STAT Signaling, Regulation of Leukocyte Mediated Immunity, Production of Molecular
	Mediator of Immune Response, Hepatitis C
Application Details	
Application Notes:	Application Note: Interferon-alpha 2a Recombinant Protein has been tested by SDS-PAGE and is
	suitable as a control for polyclonal or monoclonal anti-Interferon-alpha 2a in immunological
	assays.
	Other: User Optimized
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Reconstitution_Buffer: Restore with deionized water (or equivalent)
	Reconstitution_Volume: 100 μL
Buffer:	Buffer: 0.1 % Trifluoroacetic acid
	Stabilizer: None
Preservative:	Without preservative
Storage:	4 °C,-20 °C
Storage Comment:	Store vial at 4° C prior to restoration. Dilute only prior to immediate use. Maintain sterility. This
	product DOES NOT contain preservative. DO NOT VORTEX. We recommend adding a carrier
	protein such as HSA or BSA to 0.1% (i.e. 1.0 mg/mL). For best results aliquot contents and
	freeze at -20° C or colder. Avoid cycles of freezing and thawing. Centrifuge vial before each
	opening to dislodge contents from the cap and to clarify if contents are not clear after standing
	at room temperature.
Expiry Date:	6 months



#### **SDS-PAGE**

**Image 1.** SDS-PAGE of Human Interferon-alpha 2a Recombinant Protein SDS-PAGE of Human Interferonalpha 2a Recombinant Protein. Lane 1: Molecular weight marker. Lane 2: 1 μg Human IFN alpha 2A in reducing conditions (+). Lane 3: 1 μg Human IFN alpha 2A in non-reducing conditions. Human IFN alpha 2A has a predicted MW of 19.4 kDa.