antibodies .- online.com





anti-Adiponectin Receptor 2 antibody (AA 315-340) (Cy7)



Go to	D		
	Pron	HCL	nane

	ve	r\/		۸/
\cup	$^{\prime}$ $^{\prime}$ $^{\prime}$	ΙV	\Box	٧V

Quantity:	100 μL
Target:	Adiponectin Receptor 2 (ADIPOR2)
Binding Specificity:	AA 315-340
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Adiponectin Receptor 2 antibody is conjugated to Cy7
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Adiponectin receptor 2
Isotype:	IgG
Specificity:	This antibody may cross react with Adiponectin receptor 1 due to sequence similarity.
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Dog,Pig
Purification:	Purified by Protein A.

Target Details

Target: Adiponectin Receptor 2 (ADIPOR2)
--

Target Details

rarget Details	
Alternative Name:	Adiponectin receptor 2 (ADIPOR2 Products)
Background:	Synonyms: PAQR2, ACDCR2, Adiponectin receptor protein 2, Progestin and adipoQ receptor
	family member II, ADIPOR2
	Background: Receptor for globular and full-length adiponectin (APM1), an essential hormone
	secreted by adipocytes that acts as an antidiabetic. Probably involved in metabolic pathways
	that regulate lipid metabolism such as fatty acid oxidation. Mediates increased AMPK, PPARA
	ligand activity, fatty acid oxidation and glucose uptake by adiponectin. Has some intermediate-
	affinity receptor activity for both globular and full-length adiponectin.
Gene ID:	79602
UniProt:	Q86V24
Pathways:	AMPK Signaling
Application Details	
Application Notes:	FCM 1:20-100
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months