

## Datasheet for ABIN6719674

## **NGFB ELISA Kit**





#### Overview

Quantity:	1 kit
Target:	NGFB
Reactivity:	Human
Method Type:	Sandwich ELISA
Detection Range:	15.6 pg/mL - 1000 pg/mL
Minimum Detection Limit:	15.6 pg/mL
Application:	ELISA

#### **Product Details**

Purpose:	Sandwich ELISA for Quantitative Detection of Antigen
Sample Type:	Cell Culture Supernatant, Serum
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Characteristics:	Synonyms: Beta nerve growth factor, Beta NGF, HSAN5, MGC161426, MGC161428, Nerve

growth factor (beta polypeptide), Nerve growth factor beta polypeptide, Nerve growth factor beta subunit, NGFB, NID67

Background: Nerve growth factor(NGF) is a polypeptide involved in the regulation of growth and differentiation of sympathetic and certain sensory neurons. NGF is thought to have a profound effect on the development and maintenance of sympathetic and embryonic sensory neurones. NGF activity isolated from the male mouse submaxillary gland(MSG) consists of three types of subunits, alpha, beta and gamma, which specifically interact to form a 7S, approximately

130,000-molecular weight(Mr) complex. The 7S complex contains two identical 118-amino acid beta-chains, which are solely responsible for the nerve growth-stimulating activity of NGF. NGF, which is expressed by inflammatory cells and effects changes that lead to increased neural responsiveness, could be a pivotal mediator in allergic rhinitis. The standard product used in this kit is human 2.5S NGF, which is a dimmer linking with two polypeptide chains of 120 amino acids.

Gene Name: NGF

Production: Natural and recombinant human NGF. There is no detectable cross-reactivity with other relevant proteins.

Standard: Expression system for standard: E.coli, Immunogen sequence: S122-A241

## **Target Details**


Target:	NGFB
Alternative Name:	NGF - NGF beta (NGFB Products)
Gene ID:	4803
NCBI Accession:	NP_002497
UniProt:	P01138
Pathways:	NF-kappaB Signaling, RTK Signaling, Regulation of Cell Size

Application Details	
Application Notes:	Application Note: Useful in Sandwich ELISA for Quantitative Detection of Antigen. Aliquot
	0.1 mL per well of the 1000pg/mL, 500pg/mL, 250pg/mL, 125pg/mL, 62.5pg/mL, 31.2pg/mL,
	15.6pg/mL human NGF standard solutions into the precoated 96-well plate. Add 0.1 mL of the
	sample diluent buffer into the control well (Zero well). Add 0.1 mL of each properly diluted
	sample of human cell culture supernatants or serum to each empty well. It is recommended
	that each human NGF standard solution and each sample be measured in duplicate.
	ELISA Dilution: 15.6pg/mL-1000pg/mL
Sample Volume:	100 μL
Plate:	Pre-coated Pre-coated
Restrictions:	For Research Use only

## Handling

Storage:	RT,4 °C,-20 °C
Storage Comment:	Store vials at 4°C prior to opening. Centrifuge product if not completely clear after standing at
	room temperature. This product is stable for 6 months at 4°C as an undiluted liquid. Dilute only
	prior to immediate use. For extended storage freeze at -20°C or below for 12 months. Avoid
	cycles of freezing and thawing.

# **Images**



#### **ELISA**

Image 1. Human NGF/NGF beta Accusignal ELISA Kit
Human NGF/NGF beta AccuSignal ELISA Kit standard
curve. Assay Range: 15.6pg/ml-1000pg/ml.
Sensitivity: <1pg/ml.