.-online.com antibodies

Datasheet for ABIN6719676 **DKK1 ELISA Kit**

Image



Overview

Quantity:	1 kit
Target:	DKK1
Reactivity:	Mouse
Method Type:	Sandwich ELISA
Detection Range:	46.9 pg/mL - 3000 pg/mL
Minimum Detection Limit:	46.9 pg/mL
Application:	ELISA

Product Details

Purpose:	Sandwich ELISA for Quantitative Detection of Antigen
Sample Type:	Cell Culture Supernatant, Plasma (EDTA - heparin), Serum
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Characteristics:	Synonyms: Dickkopf 1, Dickkopf homolog 1, Dickkopf related protein 1, DKK 1, hDkk 1, hDkk1,
	mDkk1, SK
	Background: Dickkopf-related protein 1 is a protein that in humans is encoded by the DKK1
	gene, which was mapped to chromosome 10q11.2. This gene encodes a protein that is a
	member of the dickkopf family. It is a secreted protein with two cysteine rich regions and is
	involved in embryonic development through its inhibition of the WNT signaling pathway.
	Elevated levels of DKK1 in bone marrow, plasma and peripheral blood is associated with the
	presence of osteolytic bone lesions in patients with multiple myeloma.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN6719676 | 09/10/2023 | Copyright antibodies-online. All rights reserved. Gene Name: DKK1

Production: Natural and recombinant mouse DKK1. There is no detectable cross-reactivity with other relevant proteins.

Standard: Expression system for standard: CHO, Immunogen sequence: S30-H272

Target Details


Target:	DKK1
Alternative Name:	DKK1 (DKK1 Products)
Gene ID:	13380
NCBI Accession:	NP_034181
UniProt:	054908
Pathways:	WNT Signaling, Regulation of Muscle Cell Differentiation, Positive Regulation of fat Cell Differentiation

Application Details

Application Notes:	Application Note: Useful in Sandwich ELISA for Quantitative Detection of Antigen. Aliquot
	0.1 mL per well of the 3000pg/mL, 1500pg/mL, 750pg/mL, 419.pg/mL, 187.5pg/mL,
	93.8pg/mL, 46.9pg/mL mouse DKK1 standard solutions into the precoated 96-well plate. Add
	0.1 mL of the sample diluent buffer into the control well (Zero well). Add 0.1 mL of each
	properly diluted sample of mouse cell culture supernatants, serum or plasma (heparin, EDTA) to
	each empty well. We recommend that each mouse DKK1 standard solution and each sample is
	measured in duplicate.
	Blood Product Anticoagulant: Heparin Sodium
	ELISA Dilution: 46.9pg/mL-3000pg/mL
Sample Volume:	100 μL
Plate:	Pre-coated
Restrictions:	For Research Use only
Handling	
Storage:	RT,4 °C,-20 °C
Storage Comment:	Store vials at 4°C prior to opening. Centrifuge product if not completely clear after standing at

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN6719676 | 09/10/2023 | Copyright antibodies-online. All rights reserved. room temperature. This product is stable for 6 months at 4°C as an undiluted liquid. Dilute only prior to immediate use. For extended storage freeze at -20°C or below for 12 months. Avoid cycles of freezing and thawing.

Images



ELISA

Image 1. Mouse DKK1 Accusignal ELISA Kit Mouse DKK1AccuSignalELISAKitstandardcurve.AssayRange: 46.9pg/ml-3000pg/ml.Sensitivity: <15pg/ml.</td>