

Datasheet for ABIN6719847

**FLT4 ELISA Kit****1** Image[Go to Product page](#)

## Overview

Quantity:	1 kit
Target:	FLT4
Reactivity:	Mouse
Method Type:	Sandwich ELISA
Detection Range:	156 pg/mL - 10000 pg/mL
Minimum Detection Limit:	156 pg/mL
Application:	ELISA

## Product Details

Purpose:	Sandwich ELISA for Quantitative Detection of Antigen
Sample Type:	Cell Culture Supernatant, Serum
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Characteristics:	<p>Synonyms: FLT 4, FLT4, FLT41, Fms like tyrosine kinase 4, Fms related tyrosine kinase 4, LMPH1A, PCL, Tyrosine protein kinase receptor FLT4, Vascular endothelial growth factor receptor 3, VEGFR 3, VEGFR3</p> <p>Background: Fms-related tyrosine kinase 4, also known as FLT4 or VEGFR3, is a protein which in humans is encoded by the FLT4 gene. It is mapped to 5q35.3. This gene encodes a tyrosine kinase receptor for vascular endothelial growth factors C and D. The protein is thought to be involved in lymphangiogenesis and maintenance of the lymphatic endothelium. FLT4 has an essential role in the development of the embryonic cardiovascular system before the</p>

## Product Details

---

emergence of the lymphatic vessels. It has been found that FLT4, which provides proangiogenic signaling when expressed on endothelium, may also have antiangiogenic properties when expressed at an avascular site by nonendothelial cells. FLT4 is also regarded as a regulator of vascular network formation.

Gene Name: FLT4

Production: Natural and recombinant mouse VEGFR3. There is no detectable cross-reactivity with other relevant proteins.

Standard: Expression system for standard: NSO, Immunogen sequence: Y25-D770

## Target Details

---

Target:	FLT4
Alternative Name:	VEGFR3 - FLT4 (FLT4 Products)
Gene ID:	14257
NCBI Accession:	<a href="#">NP_032055</a>
UniProt:	<a href="#">P35917</a>
Pathways:	<a href="#">RTK Signaling</a> , <a href="#">Signaling Events mediated by VEGFR1 and VEGFR2</a> , <a href="#">VEGF Signaling</a>

## Application Details

---

Application Notes: Application Note: Useful in Sandwich ELISA for Quantitative Detection of Antigen. Aliquot 0.1 mL per well of the 10000pg/mL, 5000pg/mL, 2500pg/mL, 1250pg/mL, 625pg/mL, 312pg/mL, 156pg/mL mouse VEGFR3 standard solutions into the precoated 96-well plate. Add 0.1 mL of the sample diluent buffer into the control well (Zero well). Add 0.1 mL of each properly diluted sample of mouse cell culture supernates or serum to each empty well. It is recommended that each mouse VEGFR3 standard solution and each sample be measured in duplicate.

ELISA Dilution: 156pg/mL-10000pg/mL

Sample Volume:	100 µL
Plate:	Pre-coated
Restrictions:	For Research Use only

## Handling


---

Storage:	RT, 4 °C, -20 °C
----------	------------------

## Handling

Storage Comment: Store vials at 4°C prior to opening. Centrifuge product if not completely clear after standing at room temperature. This product is stable for 6 months at 4°C as an undiluted liquid. Dilute only prior to immediate use. For extended storage freeze at -20°C or below for 12 months. Avoid cycles of freezing and thawing.

## Images



### ELISA

**Image 1.** Mouse VEGFR3/FLT4 Accusignal ELISA Kit Mouse VEGFR3/FLT4 AccuSignal ELISA Kit standard curve. Assay Range: 156pg/ml-10000pg/ml. Sensitivity: <10pg/ml.