

### Datasheet for ABIN6719866

## **CXCL1 ELISA Kit**





Go to Product page

#### Overview

Quantity:	1 kit
Target:	CXCL1
Reactivity:	Mouse
Method Type:	Sandwich ELISA
Detection Range:	15.6 pg/mL - 1000 pg/mL
Minimum Detection Limit:	15.6 pg/mL
Application:	ELISA

#### **Product Details**

Purpose:	Sandwich ELISA for Quantitative Detection of Antigen
Sample Type:	Cell Culture Supernatant, Serum
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Characteristics:	Synonyms: C-X-C motif chemokine 1, chemokine ligand 1, fibroblast secretory protein, FSP,

Synonyms: C-X-C motif chemokine 1, chemokine ligand 1, fibroblast secretory protein, FSP, GRO, GRO protein alpha, GRO-alpha(1-73), GRO1, GRO1 oncogene, GROa, growth-regulated alpha protein, Keratinocyte-derived chemokine, mouse homolog of, Melanoma growth stimulatory activity, melanoma growth stimulatory activity alpha, MGSA, MGSA a, MGSA alpha, NAP 3, Neutrophil-activating protein 3, SCYB1, Small inducible cytokine subfamily B member 1 Background: Chemokine(C-X-C motif) ligand 1(CXCL1) is a small cytokine belonging to the CXC chemokine family that was previously called GRO1 oncogene, GROalpha, KC, Neutrophil-activating protein 3(NAP-3) and melanoma growth stimulating activity, alpha(MSGA-alpha). In

humans, this protein is encoded by the CXCL1 gene. The gene for CXCL1 is located on human chromosome 4 amongst genes for other CXC chemokines. The mature form of CXCL1 is maximally 73 amino acids long. CXCL1 is secreted by human melanoma cells, has mitogenic properties and is implicated in melanoma pathogenesis. CXCL1 is expressed by macrophages, neutrophils and epithelial cells, and has neutrophil chemoattractant activity. This chemokine elicits its effects by signaling through the chemokine receptor CXCR2.CXCL1 decreased the severity of multiple sclerosis and may offer a neuro-protective function.

Gene Name: CXCL1

Production: Natural and recombinant mouse CXCL1. There is no detectable cross-reactivity with other relevant proteins.

Standard: Expression system for standard: E.coli, Immunogen sequence: R20-K96

# **Target Details**

Target:	CXCL1
Alternative Name:	CXCL1 (CXCL1 Products)
Gene ID:	14825
NCBI Accession:	NP_032202
UniProt:	A2RTH0
Pathways:	Autophagy

### **Application Details**

Application Notes:	Application Note: Useful in Sandwich ELISA for Quantitative Detection of Antigen. Aliquot
	0.1 mL per well of the 1000pg/mL, 500pg/mL, 250pg/mL, 125pg/mL, 62.5pg/mL, 31.2pg/mL,

15.6pg/mL mouse CXCL1 standard solutions into the precoated 96-well plate. Add 0.1 mL of the sample diluent buffer into the control well (Zero well). Add 0.1 mL of each properly diluted sample of mouse cell culture supernates or serum to each empty well. It is recommended that

each mouse CXCL1 standard solution and each sample be measured in duplicate.

ELISA Dilution: 15.6pg/mL-1000pg/mL

Other Performance Data: DOE: 2-8° C - 10/02/18 - 20° C - 04/02/19

Sample Volume: 100 µL


Plate: Pre-coated

Restrictions: For Research Use only

# Handling

Storage:	RT,4 °C,-20 °C
Storage Comment:	Store vials at 4°C prior to opening. Centrifuge product if not completely clear after standing at
	room temperature. This product is stable for 6 months at 4°C as an undiluted liquid. Dilute only
	prior to immediate use. For extended storage freeze at -20°C or below for 12 months. Avoid
	cycles of freezing and thawing.

# **Images**



#### **ELISA**

Image 1. Mouse CXCL1 Accusignal ELISA Kit Mouse CXCL1

AccuSignal ELISA Kit standard curve. Assay

Range: 15.6pg/ml-1000pg/ml. Sensitivity: <1pg/ml.