

Datasheet for ABIN6719959 TNF alpha ELISA Kit

Image



Overview

1

Quantity:	1 kit
Target:	TNF alpha
Reactivity:	Mouse
Method Type:	Sandwich ELISA
Detection Range:	15.6 pg/mL - 1000 pg/mL
Minimum Detection Limit:	15.6 pg/mL
Application:	ELISA

# Product Details

Purpose:	Sandwich ELISA for Quantitative Detection of Antigen
Sample Type:	Cell Culture Supernatant, Plasma (EDTA - heparin), Serum
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Characteristics:	Synonyms: APC1 protein, Cachectin, DIF, soluble form, Tnf, TNF a, TNF alpha, TNF macrophage derived, TNF monocyte derived, TNF superfamily member 2, TNF-a, TNF-alpha, TNFA_HUMAN, TNFSF2, Tumor necrosis factor, Tumor necrosis factor alpha, Tumor necrosis factor ligand superfamily member 2 Background: Tumor necrosis factor-alpha(TNF-alpha, or TNF) is secreted by macrophages in response to inflammation, infection and cancer. Human Tumor Necrosis Factor(TNF) and Lymphotoxin(TNF-beta) are cytotoxic proteins which have similar biological activities and share 30 % amino acid homology. TNF-alpha is produced by monocytes, which can stimulate

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN6719959 | 07/25/2024 | Copyright antibodies-online. All rights reserved. endothelial cells to produce the multilineage growth factor granulocyte-macrophage colonystimulating factor and extend the role of this immunoregulatory protein to the regulation of hematopoiesis in vitro. TNF is a soluble protein that causes damage to tumor cells but has no effect on normal cells. Human TNF has been purified to apparent homogeneity as a 17.3kilodalton protein from HL-60 leukemia cells and has showed cytotoxic and cytostatic activities against various human tumor cell lines. The human TNF cDNA is 1585 base pairs in length and encodes a protein of 233 amino acids. The mature protein begins at residue 77, leaving a long leader sequence of 76 amino acids. TNF-alpha has been mapped to human chromosome 6. Gene Name: TNF Production: Natural and recombinant Mouse TNF alpha. There is no detectable cross-reactivity with other relevant proteins.

Standard: Expression system for standard: CHO, Immunogen sequence: L80-L235

### Target Details

Target:	TNF alpha
Alternative Name:	TNF alpha (TNF alpha Products)
Gene ID:	21926
NCBI Accession:	NP_001265530
UniProt:	P06804
Pathways:	NF-kappaB Signaling, Apoptosis, Caspase Cascade in Apoptosis, TLR Signaling, Cellular Response to Molecule of Bacterial Origin, Regulation of Leukocyte Mediated Immunity, Positive Regulation of Immune Effector Process, Production of Molecular Mediator of Immune Response, Positive Regulation of Endopeptidase Activity, Hepatitis C, Protein targeting to Nucleus, Inflammasome
Application Details	


Application Notes:	Application Note: Useful in Sandwich ELISA for Quantitative Detection of Antigen. Aliquot
	0.1 mL per well of the 1000pg/mL, 500pg/mL, 250pg/mL, 125pg/mL, 62.5pg/mL, 31.2pg/mL,
	15.6pg/mL mouse TNF alpha standard solutions into the precoated 96-well plate. Add 0.1 mL
	of the sample diluent buffer into the control well (Zero well). Add 0.1 mL of each properly
	diluted sample of mouse cell culture supernates, serum or plasma(heparin , EDTA) to each
	empty well. It is recommended that each mouse TNF alpha standard solution and each sample
	be measured in duplicate.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN6719959 | 07/25/2024 | Copyright antibodies-online. All rights reserved.

## Application Details

	Blood Product Anticoagulant: Heparin Sodium ELISA Dilution: 15.6pg/mL-1000pg/mL(cellculturesupernates),7.8pg/mL- 500pg/mL(mouseserum,plasma) Other Performance Data: DOE: 2-8° C- 03/19/19 -20° C - 09/19/19
Sample Volume:	100 µL
Plate:	Pre-coated
Restrictions:	For Research Use only
Handling	
Storage:	RT,4 °C,-20 °C
Storage Comment:	Store vials at 4°C prior to opening. Centrifuge product if not completely clear after standing at room temperature. This product is stable for 6 months at 4°C as an undiluted liquid. Dilute only prior to immediate use. For extended storage freeze at -20°C or below for 12 months. Avoid cycles of freezing and thawing.

#### Images



#### ELISA

Image 1. Mouse TNF alpha Accusignal ELISA Kit Mouse TNF alpha AccuSignal ELISA Kit standard curve. Assay Range: 15.6pg/ml-1000pg/ml(cellculturesupernates),7.8pg/ml-

500pg/ml(mouseserum,plasma). Sensitivity: <1pg/ml.