

# Datasheet for ABIN6720017

### **PLTP ELISA Kit**



#### Overview

Quantity:	1 kit
Target:	PLTP
Reactivity:	Mouse
Method Type:	Sandwich ELISA
Detection Range:	0.78 ng/mL - 50 ng/mL
Minimum Detection Limit:	0.78 ng/mL
Application:	ELISA

### **Product Details**

Purpose:	Mouse PLTP Sandwich ELISA Kit for Quantitative Detection
Brand:	AccuSignal™
Sample Type:	Cell Culture Supernatant, Plasma (EDTA - heparin), Serum
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Specificity:	Production: Natural and recombinant mouse PLTP. There is no detectable cross-reactivity with other relevant proteins.
Sensitivity:	< 20 pg/mL
Components:	<ul><li>Antibody-coated 96-well plate</li><li>Target Protein Standard</li></ul>

Detection antibody

- Detection reagent
- · Diluent buffers
- Wash buffers
- · Substrate Solution
- · Stop solutions
- · Adhesive covers

# Target Details

Target:	PLTP
Alternative Name:	PLTP (PLTP Products)
Background:	Synonyms: BPI fold containing family E, BPIFE, HDLCQ9, High density lipoprotein cholesterol level quantitative trait locus 9 included, Lipid transfer protein II, OD107, Phospholipid transfer protein, Plasma phospholipid transfer protein, Pltp, PLTP_HUMAN  Background: Phospholipid transfer protein (PLTP), also known as lipid transfer protein II is a protein that in humans is encoded by the PLTP gene. This gene is mapped to 20q13.12. The protein encoded by this gene is one of at least two lipid transfer proteins found in human plasma. The encoded protein transfers phospholipids from triglyceride-rich lipoproteins to high density lipoprotein (HDL). In addition to regulating the size of HDL particles, this protein may be involved in cholesterol metabolism. At least two transcript variants encoding different isoforms have been found for this gene.
Gene ID:	18830
NCBI Accession:	NP_035255
UniProt:	P55065
Pathways:	Lipid Metabolism
Application Details	
Application Notes:	Useful in Sandwich ELISA for Quantitative Detection of Antigen. Aliquot 0.1 mL per well of the 50 ng/mL, 25 ng/mL, 12.5 ng/mL, 6.25 ng/mL, 3.12 ng/mL, 1.56 ng/mL, 0.78 ng/mL mouse PLTP standard solutions into the precoated 96-well plate. Add 0.1 mL of the sample diluent buffer into the control well (Zero well). Add 0.1 mL of each properly diluted sample of mouse cell culture supernates, serum or plasma(heparin, EDTA) to each empty well. We recommend that each mouse PLTP standard solution and each sample is measured in duplicate.
Comment:	Standard: Expression system for standard: NSO, Immunogen sequence: E18-A493

# **Application Details**

Sample Volume:	100 μL
Plate:	Pre-coated
Restrictions:	For Research Use only
Handling	
Storage:	4 °C,-20 °C
Storage Comment:	Store vials at 4°C prior to opening. Centrifuge product if not completely clear after standing at room temperature. This product is stable for 6 months at 4°C as an undiluted liquid. Dilute only prior to immediate use. For extended storage freeze at -20°C or below for 12 months. Avoid cycles of freezing and thawing.
Expiry Date:	12 months