

Datasheet for ABIN6720272 TNF alpha ELISA Kit

Image



Overview

1

Quantity:	1 kit
Target:	TNF alpha
Reactivity:	Rat
Method Type:	Sandwich ELISA
Detection Range:	15.6 pg/mL - 1000 pg/mL
Minimum Detection Limit:	15.6 pg/mL
Application:	ELISA

Product Details

Purpose:	Sandwich ELISA for Quantitative Detection of Antigen
Sample Type:	Cell Culture Supernatant, Plasma (EDTA - heparin), Serum
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Characteristics:	Synonyms: APC1 protein, Cachectin, DIF, soluble form, Tnf, TNF a, TNF alpha, TNF macrophage derived, TNF monocyte derived, TNF superfamily member 2, TNF-a, TNF-alpha, TNFA_HUMAN, TNFSF2, Tumor necrosis factor, Tumor necrosis factor alpha, Tumor necrosis factor ligand superfamily member 2 Background: Tumor necrosis factor-alpha(TNF-alpha, or TNF) is secreted by macrophages in response to inflammation, infection and cancer. Human Tumor Necrosis Factor(TNF) and Lymphotoxin(TNF-beta) are cytotoxic proteins which have similar biological activities and share 30 % amino acid homology. TNF-alpha is produced by monocytes, which can stimulate

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN6720272 | 07/25/2024 | Copyright antibodies-online. All rights reserved. endothelial cells to produce the multilineage growth factor granulocyte-macrophage colonystimulating factor and extend the role of this immunoregulatory protein to the regulation of hematopoiesis in vitro. TNF is a soluble protein that causes damage to tumor cells but has no effect on normal cells. Human TNF has been purified to apparent homogeneity as a 17.3kilodalton protein from HL-60 leukemia cells and has showed cytotoxic and cytostatic activities against various human tumor cell lines. The human TNF cDNA is 1585 base pairs in length and encodes a protein of 233 amino acids. The mature protein begins at residue 77, leaving a long leader sequence of 76 amino acids. TNF-a... Gene Name: TNF Production: Natural and recombinant rat TNF alpha. There is no detectable cross-reactivity with other relevant proteins.

Standard: Expression system for standard: CHO, Immunogen sequence: L80-L235

Target Details

Target:	TNF alpha
Alternative Name:	TNF alpha (TNF alpha Products)
Gene ID:	24835
NCBI Accession:	NP_036807
UniProt:	P16599
Pathways:	NF-kappaB Signaling, Apoptosis, Caspase Cascade in Apoptosis, TLR Signaling, Cellular Response to Molecule of Bacterial Origin, Regulation of Leukocyte Mediated Immunity, Positive Regulation of Immune Effector Process, Production of Molecular Mediator of Immune Response, Positive Regulation of Endopeptidase Activity, Hepatitis C, Protein targeting to Nucleus, Inflammasome
Application Details	


Application Notes:	Application Note: Useful in Sandwich ELISA for Quantitative Detection of Antigen. Aliquot
	0.1 mL per well of the 1000pg/mL, 500pg/mL, 250pg/mL, 125pg/mL, 62.5pg/mL, 31.2pg/mL,
	15.6pg/mL rat TNF alpha standard solutions into the precoated 96-well plate. Add 0.1 mL of the
	sample diluent buffer into the control well (Zero well). Add 0.1 mL of each properly diluted
	sample of rat cell culture supernates, serum or plasma(heparin , EDTA) to each empty well. It is
	recommended that each rat TNF alpha standard solution and each sample be measured in
	duplicate.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN6720272 | 07/25/2024 | Copyright antibodies-online. All rights reserved.

Application Details

Blood Product Anticoagulant: Heparin Sodium
ELISA Dilution: 15.6pg/mL-1000pg/mL(cellculturesupernates),7.8pg/mL-
500pg/mL(serum,plasma)
100 µL
Pre-coated
For Research Use only
RT,4 °C,-20 °C
Store vials at 4°C prior to opening. Centrifuge product if not completely clear after standing at room temperature. This product is stable for 6 months at 4°C as an undiluted liquid. Dilute only prior to immediate use. For extended storage freeze at -20°C or below for 12 months. Avoid cycles of freezing and thawing.

Images



ELISA

Image 1. Rat TNF alpha Accusignal ELISA Kit Rat TNF alpha AccuSignal ELISA Kit standard curve. Assay Range: 15.6pg/ml-1000pg/ml(cellculturesupernates),7.8pg/ml-500pg/ml(serum,plasma). Sensitivity: <1pg/ml.