

Datasheet for ABIN6720310 MMP12 ELISA Kit

1 Image



[Go to Product page](#)

Overview

Quantity:	1 kit
Target:	MMP12
Reactivity:	Mouse
Method Type:	Sandwich ELISA
Detection Range:	62.5 pg/mL - 4000 pg/mL
Minimum Detection Limit:	62.5 pg/mL
Application:	ELISA

Product Details

Purpose:	Sandwich ELISA for Quantitative Detection of Antigen
Sample Type:	Cell Culture Supernatant, Plasma (heparin), Serum
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Characteristics:	<p>Synonyms: EC 3.4.24.65, HME, Macrophage elastase, Macrophage metalloelastase, Macrophage metalloelastase, Matrix metalloproteinase 12 (macrophage elastase), Matrix metalloproteinase 12, Matrix metalloproteinase-12, MGC138506, MME, MMP 12, MMP-12, Mmp12, MMP12_HUMAN</p> <p>Background: Matrix metalloproteinase-12(MMP12), also known as MME or ME, is an enzyme that in humans is encoded by the MMP12 gene. The gene is part of a cluster of MMP genes which localize to chromosome 11q22.2. It is thought that the protein encoded by this gene is cleaved at both ends to yield the active enzyme, but this processing has not been fully</p>

Product Details

described. The enzyme degrades soluble and insoluble elastin. It may play a role in aneurysm formation and studies in mice suggest a role in the development of emphysema. This gene may be involved in tissue injury and remodeling.

Gene Name: MMP12

Production: Natural and recombinant mouse MMP-12. There is no detectable cross-reactivity with other relevant proteins.

Standard: Expression system for standard: NSO, Immunogen sequence: A18-C462

Target Details

Target: MMP12

Alternative Name: MMP-12 ([MMP12 Products](#))

Gene ID: 17381

NCBI Accession: [NP_001307005](#)

UniProt: [P34960](#)

Application Details

Application Notes: Application Note: Useful in Sandwich ELISA for Quantitative Detection of Antigen. Aliquot 0.1 mL per well of the 4000pg/mL, 2000pg/mL, 1000pg/mL, 500pg/mL, 250pg/mL, 125pg/mL, 62.5pg/mL mouse MMP-12 standard solutions into the precoated 96-well plate. Add 0.1 mL of the sample diluent buffer into the control well (Zero well). Add 0.1 mL of each properly diluted sample of mouse cell culture supernates, serum or plasma (heparin) to each empty well. It is recommended that each mouse MMP-12 standard solution and each sample be measured in duplicate.

Blood Product Anticoagulant: Heparin Sodium

ELISA Dilution: 62.5pg/mL-4000pg/mL

Other Performance Data: DOE: 2-8° C - 06/27/18 -20° C - 12/28/18

Sample Volume: 100 µL

Plate: Pre-coated

Restrictions: For Research Use only


Handling

Storage: RT, 4 °C, -20 °C

Handling

Storage Comment: Store vials at 4°C prior to opening. Centrifuge product if not completely clear after standing at room temperature. This product is stable for 6 months at 4°C as an undiluted liquid. Dilute only prior to immediate use. For extended storage freeze at -20°C or below for 12 months. Avoid cycles of freezing and thawing.

Images



ELISA

Image 1. Mouse MMP-12 Accusignal ELISA Kit Mouse MMP-12 AccuSignal ELISA Kit standard curve. Assay Range: 62.5pg/ml-4000pg/ml. Sensitivity: <10pg/ml.