

Datasheet for ABIN6720714  
**anti-His Tag antibody (DyLight 549)**



[Go to Product page](#)

2 Images

## Overview

Quantity:	100 µg
Target:	His Tag
Reactivity:	Please inquire
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This His Tag antibody is conjugated to DyLight 549
Application:	Western Blotting (WB), ELISA, Fluorescence Microscopy (FM), FLISA

## Product Details

Purpose:	6X His Tag Antibody Dylight™ 549 Conjugated
Immunogen:	This antibody was produced in mice by repeated immunizations with 6X His epitope tag peptide H-H-H-H-H-H conjugated to KLH using maleimide.
Clone:	33D10-D2-G8
Isotype:	IgG1 kappa
Cross-Reactivity (Details):	This monoclonal anti-6X His tag antibody detects over-expressed proteins containing the 6X His epitope tag.
Purification:	This protein-A purified antibody is directed against the 6X His motif and is useful in determining its presence in various assays.
Labeling Ratio:	2.3

## Target Details

---

Target: His Tag

Abstract: [His Tag Products](#)

Background: Synonyms: mouse anti-6X His Tag DyLight™ 549 conjugated Antibody, DyLight™ 549 conjugated mouse anti-6X His Tag Antibody, anti-HIS, HIS Antibody, 6X His Tag Antibody, HHHHHH epitope tag antibody

Background: This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA), fluorescent polarization, FRET and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms.

## Application Details

---

Application Notes: FLISA\_Dilution: >1:20,000  
IF\_Microscopy\_Dilution: >1:5,000  
Western\_Blot\_Dilution: >1:10,000  
Other: User Optimized

Comment: Anti-6X His Epitope Tag DyLight™549 has been tested by ELISA and Western Blot. This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA), fluorescent polarization, FRET and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms.

Restrictions: For Research Use only

## Handling

---

Format: Lyophilized

Reconstitution: Reconstitution\_Buffer: Restore with deionized water (or equivalent)  
Reconstitution\_Volume: 100 µL

Buffer: Buffer: 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2  
Stabilizer: 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free  
Preservative: 0.01 % (w/v) Sodium Azide

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.


Storage: 4 °C, -20 °C

## Handling

**Storage Comment:** Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.


**Expiry Date:** 12 months

## Images



### Western Blotting

**Image 1.** Western Blot of Mouse anti-6xHIS Tag Antibody. Lane 1: 100ng Purified histidine-tagged recombinant protein. Lane 2: 200ng E. coli cell lysate containing histidine-tagged expression construct. Lane 3: 100ng Purified GST-tagged recombinant protein. Lane 4: 100ng Purified FLAG-tagged recombinant protein. Primary antibody: Mouse anti-6xHIS Tag antibody at 1:5,000 overnight at 4°C. Secondary antibody: Peroxidase mouse secondary antibody at 1:20,000 for 30 min at RT. Block: 5% BLOTTO for 1 hr at RT.



### ELISA

**Image 2.** ELISA of Mouse anti-6xHIS Tag Antibody. Antigen: HIS-tagged purified protein and E. coli cell lysates expressing HIS-Tagged construct, GST- and RON-tagged purified proteins. Coating amount: 0.15ug per well. Primary antibody: 6xHIS Tag antibody at 100ug/mL. Dilution series: 2-fold. Mid-point concentration: 200ng/mL. Secondary antibody: Peroxidase mouse secondary antibody at 1:10,000. Substrate: TMB .