antibodies -online.com







anti-FAM3B antibody (AA 1-100)

Images



Overview

Quantity:	100 μL
Target:	FAM3B
Binding Specificity:	AA 1-100
Reactivity:	Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FAM3B antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from mouse FAM3B
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human
Purification:	Purified by Protein A.

Target Details

Target Details


Alternative Name:	FAM3B/PANDER (FAM3B Products)
Target Type:	Viral Protein
Background:	Synonyms: 2-21, ORF9, Pander, D16Jhu19e, 9030624C24Rik, Protein FAM3B, Cytokine-like protein 2-21, Pancreatic-derived factor, Fam3b Background: Induces apoptosis of alpha and beta cells in a dose- and time-dependent manner.
Gene ID:	52793
UniProt:	Q9D309
Pathways:	Hormone Transport

Application Details

Application Notes:	WB 1:300-5000
	ELISA 1:500-1000
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only


Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months



Immunohistochemistry

Image 1. Formalin-fixed and paraffin embedded rat pancreas tissue labeled Anti-FAM3B/PANDER Polyclonal Antibody, Unconjugated (ABIN672201) at 1:200, followed by conjugation to the secondary antibody and DAB staining



Immunohistochemistry (Paraffin-embedded Sections)

Image 2. Formalin-fixed and paraffin embedded rat pancreas tissue labeled Anti-FAM3B/PANDER Polyclonal Antibody, Unconjugated at 1:200, followed by conjugation to the secondary antibody and DAB staining