# antibodies .- online.com





# Datasheet for ABIN6730122

# **CD7 ELISA Kit**



## Overview

Quantity:	96 tests
Target:	CD7
Reactivity:	Mouse
Method Type:	Sandwich ELISA
Application:	ELISA

Product Details					
Purpose:	Mouse CD7 ELISA Kit.				
Sample Type:	Cell Culture Supernatant, Cell Samples, Plasma, Serum, Tissue Lysate				
Analytical Method:	Quantitative				
Detection Method:	Colorimetric				
Specificity:	This ELISA antibody pair recognizes Mouse CD7.				
Characteristics:	<ul> <li>Strip plates and additional reagents allow for use in multiple experiments</li> <li>Quantitative protein detection</li> <li>Establishes normal range</li> <li>The best products for confirmation of antibody array data</li> </ul>				
Components:	<ul> <li>Pre-Coated 96-well Strip Microplate</li> <li>Wash Buffer</li> <li>Stop Solution</li> <li>Assay Diluent(s)</li> <li>Lyophilized Standard</li> <li>Biotinylated Detection Antibody</li> </ul>				

## **Product Details**

- · Streptavidin-Conjugated HRP
- · TMB One-Step Substrate

### Material not included:

- · Distilled or deionized water
- Precision pipettes to deliver 2 μl to 1 μl volumes
- Adjustable 1-25 µl pipettes for reagent preparation
- 100 µl and 1 liter graduated cylinders
- Tubes to prepare standard and sample dilutions
- · Absorbent paper
- Microplate reader capable of measuring absorbance at 450nm
- · Log-log graph paper or computer and software for ELISA data analysis

## **Target Details**

Target:	CD7
Alternative Name:	CD7 (CD7 Products)
UniProt:	P50283
Pathways:	Cell-Cell Junction Organization

## **Application Details**

Optimal working dilution should be determined by the investigator.		
1. Prepare all reagents, samples and standards as instructed in the manual.		
2. Add 100 µl of standard or sample to each well.		
3. Incubate 2.5 h at RT or O/N at 4°C.		
4. Add 100 μl of prepared biotin antibody to each well.		
5. Incubate 1 h at RT.		
6. Add 100 μl of prepared Streptavidin solution to each well.		
7. Incubate 45 min at RT.		
8. Add 100 μl of TMB One-Step Substrate Reagent to each well.		
9. Incubate 30 min at RT.		
10. Add 50 μl of Stop Solution to each well.		
11. Read at 450 nm immediately.		
For Research Use only		
The entire kit may be stored at -20°C for up to 1 year from the date of shipment. Avoid repeated		
freeze-thaw cycles. The kit may be stored at 4°C for up to 6 months. For extended storage, it is		

1	1		11.		
_	$\sim$	$\sim$	4 I I	n	$\sim$
_	14	111	111	1 1	

recommended to store at -80°C.

Expiry Date: 6 months