antibodies .- online.com





Go to Product page

Datasheet for ABIN6730170

GDF11 ELISA Kit

Overview

| Quantity: | 96 tests |
|--------------|----------------|
| Target: | GDF11 |
| Reactivity: | Mouse |
| Method Type: | Sandwich ELISA |
| Application: | ELISA |

| Product Details | | |
|--------------------|---|--|
| Purpose: | Mouse GDF-11/BMP-11 ELISA Kit. | |
| Sample Type: | Cell Culture Supernatant, Cell Samples, Plasma, Serum, Tissue Lysate | |
| Analytical Method: | Quantitative | |
| Detection Method: | Colorimetric | |
| Specificity: | This ELISA antibody pair recognizes Mouse GDF-11. | |
| Characteristics: | Strip plates and additional reagents allow for use in multiple experiments Quantitative protein detection Establishes normal range The best products for confirmation of antibody array data | |
| Components: | Pre-Coated 96-well Strip Microplate Wash Buffer Stop Solution Assay Diluent(s) Lyophilized Standard Biotinylated Detection Antibody | |

Product Details

- · Streptavidin-Conjugated HRP
- TMB One-Step Substrate

Material not included:

- · Distilled or deionized water
- Precision pipettes to deliver 2 μl to 1 μl volumes
- Adjustable 1-25 µl pipettes for reagent preparation
- 100 µl and 1 liter graduated cylinders
- Tubes to prepare standard and sample dilutions
- · Absorbent paper
- Microplate reader capable of measuring absorbance at 450nm
- · Log-log graph paper or computer and software for ELISA data analysis

Target Details

| Target: | GDF11 |
|-------------------|---------------------------------|
| Alternative Name: | GDF-11 (BMP-11 (GDF11 Products) |
| UniProt: | Q9Z1W4 |

| Application Notes: | Optimal working dilution should be determined by the investigator. | |
|--------------------|--|--|
| Protocol: | 1. Prepare all reagents, samples and standards as instructed in the manual. | |
| | 2. Add 100 µl of standard or sample to each well. | |
| | 3. Incubate 2.5 h at RT or O/N at 4°C. | |
| | 4. Add 100 μ l of prepared biotin antibody to each well. | |
| | 5. Incubate 1 h at RT. | |
| | 6. Add 100 µl of prepared Streptavidin solution to each well. | |
| | 7. Incubate 45 min at RT. | |
| | 8. Add 100 µl of TMB One-Step Substrate Reagent to each well. | |
| | 9. Incubate 30 min at RT. | |
| | 10. Add 50 µl of Stop Solution to each well. | |
| | 11. Read at 450 nm immediately. | |
| Restrictions: | For Research Use only | |
| Handling | | |
| Storage Comment: | The entire kit may be stored at -20°C for up to 1 year from the date of shipment. Avoid repeated | |
| | freeze-thaw cycles. The kit may be stored at 4°C for up to 6 months. For extended storage, it is | |
| | recommended to store at -80°C. | |

| 1 1 | | |
|----------------|------------------------|-------|
| \blacksquare | $\alpha \alpha \alpha$ | lina |
| | land | 1111(|
| | I G I G | 11119 |
| | | |

Expiry Date:

6 months