

## Datasheet for ABIN6730377

### Prokineticin 1 ELISA Kit

[Go to Product page](#)

#### Overview

|              |                        |
|--------------|------------------------|
| Quantity:    | 96 tests               |
| Target:      | Prokineticin 1 (Prok1) |
| Reactivity:  | Mouse                  |
| Method Type: | Sandwich ELISA         |
| Application: | ELISA                  |

#### Product Details

|                    |                                                                                                                                                                                                                                                                              |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Purpose:           | Mouse EG-VEGF/PK1 ELISA Kit.                                                                                                                                                                                                                                                 |
| Sample Type:       | Cell Culture Supernatant, Cell Samples, Plasma, Serum, Tissue Lysate                                                                                                                                                                                                         |
| Analytical Method: | Quantitative                                                                                                                                                                                                                                                                 |
| Detection Method:  | Colorimetric                                                                                                                                                                                                                                                                 |
| Specificity:       | This ELISA antibody pair recognizes Mouse EG-VEGF.                                                                                                                                                                                                                           |
| Characteristics:   | <ul style="list-style-type: none"><li>• Strip plates and additional reagents allow for use in multiple experiments</li><li>• Quantitative protein detection</li><li>• Establishes normal range</li><li>• The best products for confirmation of antibody array data</li></ul> |
| Components:        | <ul style="list-style-type: none"><li>• Pre-Coated 96-well Strip Microplate</li><li>• Wash Buffer</li><li>• Stop Solution</li><li>• Assay Diluent(s)</li><li>• Lyophilized Standard</li><li>• Biotinylated Detection Antibody</li></ul>                                      |

## Product Details

---

- Streptavidin-Conjugated HRP
- TMB One-Step Substrate

### Material not included:

- Distilled or deionized water
- Precision pipettes to deliver 2 µl to 1 µl volumes
- Adjustable 1-25 µl pipettes for reagent preparation
- 100 µl and 1 liter graduated cylinders
- Tubes to prepare standard and sample dilutions
- Absorbent paper
- Microplate reader capable of measuring absorbance at 450nm
- Log-log graph paper or computer and software for ELISA data analysis

## Target Details

---

|                   |                                              |
|-------------------|----------------------------------------------|
| Target:           | Prokineticin 1 (Prok1)                       |
| Alternative Name: | EG-VEGF ( ( <a href="#">Prok1 Products</a> ) |
| UniProt:          | <a href="#">Q14A28</a>                       |

## Application Details

---

|                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Application Notes: | Optimal working dilution should be determined by the investigator.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Protocol:          | <ol style="list-style-type: none"><li>1. Prepare all reagents, samples and standards as instructed in the manual.</li><li>2. Add 100 µl of standard or sample to each well.</li><li>3. Incubate 2.5 h at RT or O/N at 4°C.</li><li>4. Add 100 µl of prepared biotin antibody to each well.</li><li>5. Incubate 1 h at RT.</li><li>6. Add 100 µl of prepared Streptavidin solution to each well.</li><li>7. Incubate 45 min at RT.</li><li>8. Add 100 µl of TMB One-Step Substrate Reagent to each well.</li><li>9. Incubate 30 min at RT.</li><li>10. Add 50 µl of Stop Solution to each well.</li><li>11. Read at 450 nm immediately.</li></ol> |

|               |                       |
|---------------|-----------------------|
| Restrictions: | For Research Use only |
|---------------|-----------------------|

## Handling

---

|                  |                                                                                                                                                                                                                                  |
|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Storage Comment: | The entire kit may be stored at -20°C for up to 1 year from the date of shipment. Avoid repeated freeze-thaw cycles. The kit may be stored at 4°C for up to 6 months. For extended storage, it is recommended to store at -80°C. |
|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## Handling

---

Expiry Date: 6 months