

## Datasheet for ABIN6730756

# **NTRK3 ELISA Kit**



Go to Product page

### Overview

Quantity:	96 tests
Target:	NTRK3
Reactivity:	Mouse
Method Type:	Sandwich ELISA
Application:	ELISA

Product Details				
Purpose:	Mouse TrkC ELISA Kit.			
Sample Type:	Cell Culture Supernatant, Cell Samples, Plasma, Serum, Tissue Lysate			
Analytical Method:	Quantitative			
Detection Method:	Colorimetric			
Specificity:	This ELISA antibody pair recognizes Mouse TrkC.			
Characteristics:	<ul> <li>Strip plates and additional reagents allow for use in multiple experiments</li> <li>Quantitative protein detection</li> <li>Establishes normal range</li> <li>The best products for confirmation of antibody array data</li> </ul>			
Components:	<ul> <li>Pre-Coated 96-well Strip Microplate</li> <li>Wash Buffer</li> <li>Stop Solution</li> <li>Assay Diluent(s)</li> <li>Lyophilized Standard</li> <li>Biotinylated Detection Antibody</li> </ul>			

#### **Product Details**

- · Streptavidin-Conjugated HRP
- · TMB One-Step Substrate

#### Material not included:

- · Distilled or deionized water
- Precision pipettes to deliver 2 µl to 1 µl volumes
- Adjustable 1-25 µl pipettes for reagent preparation
- 100 µl and 1 liter graduated cylinders
- Tubes to prepare standard and sample dilutions
- · Absorbent paper
- Microplate reader capable of measuring absorbance at 450nm
- · Log-log graph paper or computer and software for ELISA data analysis

### **Target Details**

Target:	NTRK3	
Alternative Name:	TrkC (NTRK3 Products)	
UniProt:	Q6VNS1	
Pathways:	RTK Signaling, Neurotrophin Signaling Pathway, Regulation of Cell Size	

#### **Application Details**

Application Details				
Optimal working dilution should be determined by the investigator.				
1. Prepare all reagents, samples and standards as instructed in the manual.				
2. Add 100 µl of standard or sample to each well.				
3. Incubate 2.5 h at RT or O/N at 4°C.				
4. Add 100 μl of prepared biotin antibody to each well.				
5. Incubate 1 h at RT.				
6. Add 100 µl of prepared Streptavidin solution to each well.				
7. Incubate 45 min at RT.				
8. Add 100 µl of TMB One-Step Substrate Reagent to each well.				
9. Incubate 30 min at RT.				
10. Add 50 µl of Stop Solution to each well.				
11. Read at 450 nm immediately.				
For Research Use only				
The entire kit may be stored at -20°C for up to 1 year from the date of shipment. Avoid repeated				
freeze-thaw cycles. The kit may be stored at 4°C for up to 6 months. For extended storage, it is				

			11.	
_	$\sim$	$\sim$	111	nc
_	14	111		111

recommended to store at -80°C.

Expiry Date: 6 months