antibodies -online.com





Datasheet for ABIN6730805

NEO1 ELISA Kit



Overview

Quantity:	96 tests
Target:	NEO1
Reactivity:	Mouse
Method Type:	Sandwich ELISA
Application:	ELISA

Product Details					
Purpose:	Mouse Neogenin ELISA Kit.				
Sample Type:	Cell Culture Supernatant, Cell Samples, Plasma, Serum, Tissue Lysate				
Analytical Method:	Quantitative				
Detection Method:	Colorimetric				
Specificity:	This ELISA antibody pair recognizes Mouse Neogenin.				
Characteristics:	 Strip plates and additional reagents allow for use in multiple experiments Quantitative protein detection Establishes normal range The best products for confirmation of antibody array data 				
Components:	 Pre-Coated 96-well Strip Microplate Wash Buffer Stop Solution Assay Diluent(s) Lyophilized Standard Biotinylated Detection Antibody 				

Product Details

- · Streptavidin-Conjugated HRP
- TMB One-Step Substrate

Material not included:

- · Distilled or deionized water
- Precision pipettes to deliver 2 μl to 1 μl volumes
- Adjustable 1-25 µl pipettes for reagent preparation
- 100 µl and 1 liter graduated cylinders
- Tubes to prepare standard and sample dilutions
- · Absorbent paper
- Microplate reader capable of measuring absorbance at 450nm
- · Log-log graph paper or computer and software for ELISA data analysis

Target Details

Target:	NEO1
Alternative Name:	Neogenin (NEO1 Products)
UniProt:	P97798
Pathways:	Transition Metal Ion Homeostasis, Regulation of Muscle Cell Differentiation, Tube Formation

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.			
Protocol:	Prepare all reagents, samples and standards as instructed in the manual. Add 100 ylunf standard an experients and yearly. Add 100 ylunf standard an experients and years.			
	2. Add 100 µl of standard or sample to each well.			
	3. Incubate 2.5 h at RT or O/N at 4°C.			
	4. Add 100 μl of prepared biotin antibody to each well.			
	5. Incubate 1 h at RT.			
	6. Add 100 μl of prepared Streptavidin solution to each well.			
	7. Incubate 45 min at RT.			
	8. Add 100 μl of TMB One-Step Substrate Reagent to each well.			
	9. Incubate 30 min at RT.			
	10. Add 50 μl of Stop Solution to each well.			
	11. Read at 450 nm immediately.			
Restrictions:	For Research Use only			
Handling				
Storage Comment:	The entire kit may be stored at -20°C for up to 1 year from the date of shipment. Avoid repeate			
	freeze-thaw cycles. The kit may be stored at 4°C for up to 6 months. For extended storage, it i			

1	1		11.		
_	\sim	\sim	4 I I	n	\sim
_	14	111	111	1 1	

recommended to store at -80°C.

Expiry Date: 6 months