

## Datasheet for ABIN6731158 **anti-CD45 antibody (PE-Cy7)**



[Go to Product page](#)

### 1 Image

#### Overview

|              |  |
|--------------|--|
| Quantity:    | 25 tests                                   |
| Target:      | CD45 (PTPRC)                               |
| Reactivity:  | Human                                      |
| Host:        | Mouse                                      |
| Clonality:   | Monoclonal                                 |
| Conjugate:   | This CD45 antibody is conjugated to PE-Cy7 |
| Application: | Flow Cytometry (FACS)                      |

#### Product Details

|                  |  |
|------------------|--|
| Purpose:         | CD45 PE-Cyanine7 Antibody  |
| Immunogen:       | Human T lymphocytes  |
| Clone:           | F10-89-4   |
| Isotype:         | IgG2a, kappa   |
| Characteristics: | The clone F10-89-4, a mouse monoclonal antibody, recognizes a hematopoietic cell surface antigen known as CD45 which is present on all human leukocytes including lymphocytes, monocytes, granulocytes, eosinophils, and basophils in peripheral blood. CD45 has a role in signal transduction, modifying signals from other surface molecules. The CD45 antibody has been reported to react weakly with mature circulating erythrocytes and platelets. The antibody recognizes the human leukocyte common antigen which is found on cells from spleen, lymph nodes, 83 % bone marrow cells, and granulocytes. The antigen recognized by F10-89-4 is a glycoprotein with a molecular weight of 190 kDa to 215 kDa. |

## Product Details

---

Purification: Purified

Purity: >95 %

Grade: GMP Grade

## Target Details

---

Target: CD45 (PTPRC)

Alternative Name: [CD45 \(PTPRC Products\)](#)

Gene ID: 5788

NCBI Accession: [NM\\_002838](#)

UniProt: [P08575](#)

Pathways: [TCR Signaling](#), [Regulation of Leukocyte Mediated Immunity](#), [Positive Regulation of Immune Effector Process](#), [Production of Molecular Mediator of Immune Response](#), [CXCR4-mediated Signaling Events](#), [BCR Signaling](#)

## Application Details

---

Application Notes: Optimal working dilution should be determined by the investigator.

Restrictions: For Research Use only

## Handling

---

Format: Liquid


Buffer: PBS pH 7.2, 0.2 % (w/v) BSA, 0.09 % (w/v) sodium azide

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C

Storage Comment: 2-8°C, Conjugated antibodies should never be frozen.



## Flow Cytometry

Image 1.