

# Datasheet for ABIN6731265

# Mesothelin Protein (MSLN) (AA 296-580) (GFP tag, His tag)

2 Images



Go to Product page

$\sim$			
( )\	<b>/</b> e	rVI	iew

Quantity:	200 μg	
Target:	Mesothelin (MSLN)	
Protein Characteristics:	AA 296-580	
Origin:	Human	
Source:	HEK-293 Cells	
Protein Type:	Recombinant	
Biological Activity:	Active	
Purification tag / Conjugate:	This Mesothelin protein is labelled with GFP tag, His tag.	
Product Details		
Purity:	>90 % as determined by SDS-PAGE.	
Endotoxin Level:	Less than 1.0 EU per μg by the LAL method.	
Target Details		
Target:	Mesothelin (MSLN)	
Alternative Name:	Mesothelin (MSLN Products)	
Background:	Mesothelin (MSLN) is also known as CAK1 antigen, Pre-pro-megakaryocyte-potentiating factor, which belongs to the mesothelin family. Mesothelin / MSLN can be proteolytically cleaved into the following two chains by a furin-like convertase: Megakaryocyte-potentiating factor (MPF) and the cleaved form of mesothelin. Both MPF and the cleaved form of mesothelin are N-	

glycosylated. Mesothelin / MSLN can interacts with MUC16. The membrane-anchored forms of

# **Target Details**

	MSLN may play a role in cellular adhesion. MPF potentiates megakaryocyte colony formation in vitro.
Molecular Weight:	60.4 kDa
Pathways:	EGFR Signaling Pathway, Positive Regulation of Peptide Hormone Secretion, Intracellular
	Steroid Hormone Receptor Signaling Pathway, Steroid Hormone Mediated Signaling Pathway,
	Carbohydrate Homeostasis, cAMP Metabolic Process, Regulation of G-Protein Coupled
	Receptor Protein Signaling, Positive Regulation of Endopeptidase Activity, Regulation of
	Carbohydrate Metabolic Process


# **Application Details**

Restrictions: For Research Use only

# Handling


Format:	Lyophilized
Buffer:	PBS, pH 7.4
Storage:	-20 °C

#### **Images**



### **ELISA**

**Image 1.** Immobilized A MSLN MAb at 10  $\mu$ g/mL (100  $\mu$  L/well) can bind GFP Fusion Human Mesothelin (296-580), His Tag (ABIN6731265,ABIN6809927) with a linear range of 0.039-0.625  $\mu$ g/mL (QC tested).



## **SDS-PAGE**

**Image 2.** GFP Fusion Human Mesothelin (296-580), His Tag on under reducing (R) condition. The gel was stained overnight with Coomassie Blue. The purity of the protein is greater than 90 %.