

Datasheet for ABIN6735883
anti-RIPK1 antibody (AA 411-460)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	RIPK1
Binding Specificity:	AA 411-460
Reactivity:	Human, Cow, Horse, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RIPK1 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide located between aa411-460 of human RIPK1 (Q13546, NP_003795). Percent identity by BLAST analysis: Human, Gorilla, Gibbon, Monkey, Bovine (100%), Elephant, Dog (91%), Galago, Horse (83%). Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human RIPK1
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Bovine (100%) Dog (91%) Horse (83%).
Purification:	Immunoaffinity purified

Target Details

Target:	RIPK1
Alternative Name:	RIPK1 / RIP (RIPK1 Products)
Background:	Name/Gene ID: RIPK1 Subfamily: RIP Family: Protein Kinase Synonyms: RIPK1, Cell death protein RIP, Receptor interacting protein, RIP1, RIP, RIP-1, Protein kinase rip, Receptor-interacting protein 1, Rinp
Gene ID:	8737
NCBI Accession:	NP_003795
UniProt:	Q13546
Pathways:	NF-kappaB Signaling , Apoptosis , Caspase Cascade in Apoptosis , TLR Signaling , Activation of Innate immune Response , Inositol Metabolic Process , Positive Regulation of Endopeptidase Activity , Hepatitis C , Protein targeting to Nucleus , Toll-Like Receptors Cascades , Negative Regulation of intrinsic apoptotic Signaling , SARS-CoV-2 Protein Interactome , Ubiquitin Proteasome Pathway

Application Details

Application Notes:	Approved: WB (0.2 - 1 µg/mL)
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	After adding water, will consist of PBS buffer with 2 % sucrose
Concentration:	Lot specific
Buffer:	Lyophilized.
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long

Handling

term use (up to 1 year)

Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.

Images




Image 1.