

Datasheet for ABIN6736651
anti-WWP2 antibody (N-Term)



[Go to Product page](#)

2 Images

Overview

Quantity:	100 µL
Target:	WWP2
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat, Dog, Cow, Rabbit, Guinea Pig, Zebrafish (Danio rerio), Monkey, Hamster, Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This WWP2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	Synthetic peptide from N-Terminus of human WWP2 (O00308, NP_955456). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Orangutan, Gibbon, Monkey, Galago, Marmoset, Mouse, Rat, Hamster, Elephant, Dog, Bovine, Rabbit, Pig, Guinea pig (100%), Bat, Horse (92%), Opossum, Turkey, Chicken (86%), Platypus, Xenopus, Stickleback, Zebrafish (80%). Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human WWP2
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse, Dog, Bovine (100%) Rat, Horse (92%)

Product Details

Chicken (86%) Zebrafish (80%).

Purification: Immunoaffinity purified

Target Details

Target: WWP2

Alternative Name: WWP2 ([WWP2 Products](#))

Background: Name/Gene ID: WWP2

Synonyms: WWP2, AIP2, WW domain-containing protein 2, WWp2-like

Gene ID: 11060

NCBI Accession: [NP_955456](#)

UniProt: [O00308](#)

Pathways: [Negative Regulation of Transporter Activity](#)

Application Details

Application Notes: Approved: IHC, IHC-P, WB (0.2 - 1 µg/mL)

Comment: Target Species of Antibody: Human

Restrictions: For Research Use only

Handling

Format: Lyophilized

Reconstitution: After adding water, will consist of PBS buffer with 2 % sucrose

Concentration: Lot specific

Buffer: Lyophilized from PBS with 2 % sucrose

Handling Advice: Avoid repeated freezing and thawing.

Storage: 4 °C, -20 °C

Storage Comment: Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)

Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.




Image 1.




Image 2.