

Datasheet for ABIN6736682

**anti-Retinoid X Receptor gamma antibody (AA 101-150)**[Go to Product page](#)**1** Image

## Overview

Quantity:	100 µL
Target:	Retinoid X Receptor gamma (RXRG)
Binding Specificity:	AA 101-150
Reactivity:	Human, Mouse, Rat, Cow, Pig, Horse, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Retinoid X Receptor gamma antibody is un-conjugated
Application:	Western Blotting (WB)

## Product Details

Immunogen:	Synthetic peptide located between aa101-150 of human RXRG (P48443, NP_008848). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Orangutan, Gibbon, Monkey, Galago, Marmoset, Mouse, Rat, Bovine, Horse, Pig (100%), Dog, Guinea pig, Turkey, Zebra finch, Chicken (92%), Elephant (85%), Opossum (84%).  Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human RXRG
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse, Rat, Bovine, Pig (100%) Dog, Guinea pig, Chicken (92%).
Purification:	Immunoaffinity purified

## Target Details

---

Target:	Retinoid X Receptor gamma (RXRG)
Alternative Name:	<a href="#">RXRG (RXRG Products)</a>
Background:	Name/Gene ID: RXRG Subfamily: NR2 Hepatocyte NF4-like Family: NHR  Synonyms: RXRG, NR2B3, Retinoid X receptor gamma, Retinoid X receptor, gamma, RXR-gamma, RXRC
Gene ID:	6258
NCBI Accession:	<a href="#">NP_008848</a>
UniProt:	<a href="#">P48443</a>
Pathways:	<a href="#">Nuclear Receptor Transcription Pathway</a> , <a href="#">Retinoic Acid Receptor Signaling Pathway</a> , <a href="#">Steroid Hormone Mediated Signaling Pathway</a>

## Application Details

---

Application Notes:	Approved: WB (0.2 - 1 µg/mL)
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

## Handling

---

Format:	Lyophilized
Reconstitution:	After adding water, will consist of PBS buffer with 2 % sucrose
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Storage:	4 °C, -20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.




Image 1.