# antibodies - online.com







## anti-HNRNPUL1 antibody (AA 48-97)





#### Overview

Quantity:	100 μL
Target:	HNRNPUL1
Binding Specificity:	AA 48-97
Reactivity:	Human, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HNRNPUL1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffinembedded Sections) (IHC (p))

#### **Product Details**

Brand:	IHC-plus™
Immunogen:	Synthetic peptide located between aa48-97 of human HNRNPUL1 (Q9BTB7). Percent identity by BLAST analysis: Human, Marmoset (100%).
	Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human HNRNPUL1 / HNRPUL1
Predicted Reactivity:	Percent identity by BLAST analysis: Human (100%).
Purification:	Immunoaffinity purified

#### **Target Details**

Target:	HNRNPUL1
Alternative Name:	HNRNPUL1 (HNRNPUL1 Products)
Background:	Name/Gene ID: HNRNPUL1
	Synonyms: HNRNPUL1, E1B-AP5, E1B 55 kDa associated protein 5, HNRPUL1, E1B-55 kDa-associated protein 5, E1BAP5
Gene ID:	11100
UniProt:	Q9BUJ2

### **Application Details**

Application N	otes:
---------------	-------

Approved: IHC, IHC-P (5  $\mu$ g/mL), WB (0.2 - 1  $\mu$ g/mL)

Usage: Immunohistochemistry: This antibody was validated for use in immunohistochemistry on a panel of 21 formalin-fixed, paraffin-embedded (FFPE) human tissues after heat induced antigen retrieval in pH 6.0 citrate buffer. After incubation with the primary antibody, slides were incubated with biotinylated secondary antibody, followed by alkaline phosphatase-streptavidin and chromogen. The stained slides were evaluated by a pathologist to confirm staining specificity. The optimal working concentration for this antibody was determined to be  $5 \, \mu g/mL$ .

Comment:


Target Species of Antibody: Human

Restrictions:

For Research Use only


#### Handling

Format:	Lyophilized
Reconstitution:	After adding water, will consist of PBS buffer with 2 % sucrose
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long
	term use (up to 1 year)
	Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



#### **Immunohistochemistry**

**Image 1.** Human Brain, Cortex (formalin-fixed, paraffinembedded) stained with HNRPUL1 antibody ABIN214114 at 5 ug/ml followed by biotinylated goat anti-rabbit lgG secondary antibody ABIN481713, alkaline phosphatase-streptavidin and chromogen.



#### **Immunohistochemistry**

**Image 2.** Anti-HNRNPUL1 / HNRPUL1 antibody IHC of human brain, cortex. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody concentration 5 ug/ml. This image was taken for the unconjugated form of thi ...