

Datasheet for ABIN6737644
anti-TCEB2 antibody (C-Term)



[Go to Product page](#)

2 Images

Overview

Quantity:	100 µL
Target:	TCEB2
Binding Specificity:	C-Term
Reactivity:	Human, Pig, Rabbit, Cow, Dog, Goat, Bat, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TCEB2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	Synthetic peptide from C-Terminus of human TCEB2 (Q15370, NP_009039). Percent identity by BLAST analysis: Human, Chimpanzee, Gibbon, Monkey, Galago, Marmoset, Goat, Elephant, Dog, Bovine, Bat, Rabbit, Pig, Platypus (100%), Gorilla, Mouse, Rat, Guinea pig, Seabass, Salmon, Smelt, Sablefish, Pufferfish, Zebrafish (92%), Cat, Opossum, Catfish (85%). Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human TCEB2
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Dog, Bovine, Goat, Rabbit (100%) Mouse, Rat, Guinea pig, Zebrafish (92%).

Product Details

Purification: Immunoaffinity purified

Target Details

Target: TCEB2

Alternative Name: TCEB2 / SIII ([TCEB2 Products](#))

Background: Name/Gene ID: TCEB2

Synonyms: TCEB2, ELOB, Elongin 18 kDa subunit, Elongin-B, Elongin, 18-kD subunit, SIII, SIII p18

Gene ID: 6923

NCBI Accession: [NP_009039](#)

UniProt: [Q15370](#)

Pathways: [SARS-CoV-2 Protein Interactome](#)

Application Details

Application Notes: Approved: IHC, IHC-P, WB

Usage: ELISA titer using peptide based assay: 1:12500. Western Blot: Suggested dilution at 0.25 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1:50000 - 100000 as second antibody.

Comment: Target Species of Antibody: Human

Restrictions: For Research Use only

Handling

Format: Lyophilized

Reconstitution: Distilled Water.

Concentration: Lot specific

Buffer: Lyophilized from PBS with 2 % sucrose

Handling Advice: Avoid repeat freeze-thaw cycles.

Storage: 4 °C, -20 °C

Storage Comment: Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long

Handling

term use (up to 1 year)

Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.

Images




Image 1.




Image 2.