antibodies -online.com





anti-RASSF1 antibody (AA 145-260) (Biotin)



Go to Product page

()	11/	IN	/ie	A .
	/ // 	۱ ات	/ (−	' \/\/

Quantity:	100 μL	
Target:	RASSF1	
Binding Specificity:	AA 145-260	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This RASSF1 antibody is conjugated to Biotin	
Application:	ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human RASSF1	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse, Rat	
Predicted Reactivity:	Cow,Sheep,Horse	
Purification:	Purified by Protein A.	

Target Details

Target:	RASSF1
Alternative Name:	RASSF1 (RASSF1 Products)

Target Details

Background:	Synonyms: 123F2, RDA32, NORE2A, RASSF1A, REH3P21, Ras association domain-containing			
	protein 1, RASSF1 Background: Potential tumor suppressor. Required for death receptor-dependent apoptosis.			
	Mediates activation of STK3/MST2 and STK4/MST1 during Fas-induced apoptosis by			
	preventing their dephosphorylation. When associated with MOAP1, promotes BAX			
	conformational change and translocation to mitochondrial membranes in response to TNF and			
	TNFSF1 stimulation. Isoform A interacts with CDC2, an activator of the anaphase-promoting complex, APC, resulting in the inhibition of APC activity and mitotic progression. Inhibits proliferation by negatively regulating cell cycle progression at the level of G1/S-phase transition			
	by regulating accumulation of cyclin D1 protein. Isoform C has been shown not to perform			
	these roles, no function has been identified for this isoform. Isoform A disrupts interactions			
	among MDM2, DAXX and USP7, thus contributing to the efficient activation of TP53 by			
	promoting MDM2 self-ubiquitination in cell-cycle checkpoint control in response to DNA			
	damage.			
Gene ID:	11186			
UniProt:	Q9NS23			
Application Details				
Application Notes:	IHC-P 1:200-400			
	IHC-F 1:100-500			
Restrictions:	For Research Use only			
Handling				
Format:	Liquid			
Concentration:	1 μg/μL			
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.			
Preservative:	ProClin			
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.			
Storage:	-20 °C			
Storage Comment:	Store at -20°C for 12 months.			

Н	and	linc

Expiry Date:

12 months