



[Go to Product page](#)

Datasheet for ABIN6737668  
**anti-ZNF706 antibody (N-Term)**

1 Image

Overview

Quantity:	100 µL
Target:	ZNF706
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat, Cow, Dog, Guinea Pig, Horse, Rabbit, Bat, Hamster, Monkey, Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF706 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide from N-Terminus of human ZNF706 (Q9Y5V0, NP_057180). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Galago, Marmoset, Mouse, Rat, Hamster, Elephant, Panda, Dog, Bovine, Bat, Rabbit, Horse, Pig, Opossum, Guinea pig, Platypus, Lizard (100%), Turkey, Zebra finch, Chicken (92%), Xenopus (85%), Salmon, Smelt, Sablefish (84%).  Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human ZNF706
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Dog, Bovine (100%) Xenopus (85%).
Purification:	Immunoaffinity purified

## Target Details

---

Target:	ZNF706
Alternative Name:	ZNF706 ( <a href="#">ZNF706 Products</a> )
Background:	Name/Gene ID: ZNF706 Family: Zinc Finger  Synonyms: ZNF706, HSPC038, PNAS-106, PNAS-113, Zinc finger protein 706
Gene ID:	51123
NCBI Accession:	<a href="#">NP_057180</a>
UniProt:	<a href="#">Q9Y5V0</a>

## Application Details

---

Application Notes:	Approved: WB  Usage: ELISA titer using peptide based assay: 1:312500. Western Blot: Suggested dilution at 1 $\mu$ g/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1:50000 - 100000 as second antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

## Handling

---

Format:	Lyophilized
Reconstitution:	Distilled Water.
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



**Image 1.**