



Datasheet for ABIN6737688

anti-Interleukin enhancer-binding factor 3 (ILF3) (AA 756-805) antibody



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	Interleukin enhancer-binding factor 3 (ILF3)
Binding Specificity:	AA 756-805
Reactivity:	Human, Mouse, Rat, Dog, Rabbit, Guinea Pig, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	Un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide located between aa756-805 of human ILF3 (Q12906, NP_036350). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Marmoset, Dog, Opossum, Lizard (100%), Elephant, Bovine, Bat, Horse, Pig (92%), Xenopus (91%), Rabbit, Guinea pig (85%), Mouse, Rat (78%). Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human ILF3
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Dog (100%) Bovine, Horse, Pig (92%) Xenopus (91%) Rabbit, Guinea pig (85%).
Purification:	Immunoaffinity purified

Target Details

Target:	Interleukin enhancer-binding factor 3 (ILF3)
Alternative Name:	NF90 / ILF3 (ILF3 Products)
Background:	Name/Gene ID: ILF3 Synonyms: ILF3, CBTF, DRBF, DRBP76, MMP4, NF-AT-90, NF90, NFAR2, Nuclear factor nf90, M-phase phosphoprotein 4, TCP110, MPHOSPH4, NF110b, NF90a, NF90b, NFAR-1, TCP80, NF110, NFAR
Gene ID:	3609
NCBI Accession:	NP_036350
UniProt:	Q12906
Pathways:	M Phase

Application Details

Application Notes:	Approved: WB Usage: ELISA titer using peptide based assay: 1:62500. Western Blot: Suggested dilution at 1 μ g/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1:50000 - 100000 as second antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Distilled Water.
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)

Handling

Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.

Images



Image 1.